

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 09/06/2025 Issue date: 04/11/2020 Revision date: 09/06/2022 Supersedes version of: 04/11/2020 Version: 1.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : Glass Cleaner (WP 2038)

Product code : WP 2038

Type of product : Washing and cleaning products (including solvent based products)

Product group : Blend

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Glass cleaner

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd 17 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset BH21 6FA United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS : info@wessexchemicalfactors.co.uk

## 1.4. Emergency telephone number

Emergency number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)

+44 (0) 7973629367 (Out of hours emergency number)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Serious eye damage/eye irritation, Category 2 H319

Specific target organ toxicity – Single exposure, Category 3, Narcosis H336

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :





GHS02

GHS07

Signal word (CLP) : Danger

Contains : propan-2-ol; isopropyl alcohol; isopropanol

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation. H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing vapours.

P280 - Wear eye protection, protective gloves, protective clothing.

P312 - Call a doctor if you feel unwell.

P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

#### **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5	30 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25-XXXX	15 – 35	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28-XXXX	1 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319
ammonia aqueous solution 35% (Note B)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119488876- 14	0.1 – 0.3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
ammonia aqueous solution 35%	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119488876- 14	( 5 ≤C < 100) STOT SE 3, H335

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Full text of H- and EUH-statements: see section 16

09/06/2022 (Revision date) GB - en 2/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

First-aid measures after eye contact

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an

unconscious person. If you feel unwell, seek medical advice (show the label where

possible).

: Eye irritation.

First-aid measures after inhalation : If breathing is difficult, trained personnel should give oxygen. Remove person to fresh air

and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical

 $advice/attention. \ Remove \ contact \ lenses, if \ present \ and \ easy \ to \ do. \ Continue \ rinsing. \ Get$ 

medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : May cause skin dryness or cracking.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

Symptoms/effects after eye contact

## 5.1. Extinguishing media

Suitable extinguishing media : Alcohol resistant foam. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Evacuate unnecessary

personnel.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper

protection. Avoid breathing dust/fume/gas/mist/vapours/spray.

09/06/2022 (Revision date) GB - en 3/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : In case of fire: Stop leak if safe to do so.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon

as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray.

Use only outdoors or in a well-ventilated area.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash hands, forearms and face thoroughly after handling.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical equipment.

Storage conditions : Store locked up. Keep only in the original container in a cool, well ventilated place away

from : Direct sunlight. Keep in fireproof place. Keep container tightly closed.

Incompatible products : Strong oxidizing agents. Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Storage temperature :  $\geq$  5 °C

#### 7.3. Specific end use(s)

Cleaning.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m³
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

#### Personal protective equipment:

Protective goggles. Gloves. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):







### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

## 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Wear protective gloves.

## 8.2.2.3. Respiratory protection

## Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## **Environmental exposure controls:**

Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. : characteristic. Odour Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available

Boiling point : 82 °C
Flash point : 18 – 21 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : No data available Relative vapour density at 20 °C No data available · No data available Relative density : ~ 0.85 g/cm<sup>3</sup> Density Solubility : soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable liquid and vapour.

## 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame

## 10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates: Carbon oxides (CO, CO2). fume. May release flammable gases.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 11: Toxicological information**

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral) : Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified Not classified	
3-butoxypropan-2-ol; propylene glycol monok	outyl ether (5131-66-8)	
LD50 oral rat	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
ammonia aqueous solution 35% (1336-21-6)		
LD50 oral rat	350 mg/kg bodyweight	
LC50 Inhalation - Rat [ppm]	2000 ppm/4h	
ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	10470 mg/kg	
LD50 oral	3450 mg/kg (Mouse)	
LD50 dermal rat	15800 mg/kg	
LC50 Inhalation - Rat	51 – 55 mg/l/4h	
LC50 Inhalation - Rat (Vapours)	124.7 mg/l/4h	
propan-2-ol; isopropyl alcohol; isopropanol (	67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	12800 mg/kg	
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))	
Additional information : Serious eye damage/irritation :	Not classified Based on available data, the classification criteria are not met Causes serious eye irritation.	
Respiratory or skin sensitisation : Additional information :	Not classified  Based on available data, the classification criteria are not met	
9 ,	Not classified	
Additional information : Carcinogenicity :	Based on available data, the classification criteria are not met  Not classified	
Additional information :	Based on available data, the classification criteria are not met	
Reproductive toxicity : Additional information :	Not classified  Based on available data, the classification criteria are not met	
	May cause drowsiness or dizziness.	
ammonia aqueous solution 35% (1336-21-6)		
STOT-single exposure	May cause respiratory irritation.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
	Not classified Based on available data, the classification criteria are not met	
3-butoxypropan-2-ol; propylene glycol monok	outyl ether (5131-66-8)	
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
Aspiration hazard	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Potential adverse human health effects and symptoms	: Direct contact with the eyes is likely to be irritating, Based on available data, the classification criteria are not met	

## SECTION 12: Ecological information

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ammonia aqueous solution 35% (1336-21-6)	
LC50 - Fish [1]	0.53 mg/l Rainbow trout (Onchorynchus mykiss)
EC50 - Crustacea [1]	0.66 mg/l

EC50 - Crustacea [1]	0.66 mg/l
ethanol; ethyl alcohol (64-17-5)	
LC50 - Fish [1]	13000 mg/l Test organisms (species): Oncorhynchus mykiss (Rainbow trout)
LC50 - Fish [2]	14200 mg/l Test organisms (species): Pimephales promelas (Fat-head Minnow)
EC50 - Crustacea [1]	12340 mg/l
EC50 72h - Algae [1]	275 mg/l Test organisms (species): Chlorella vulgaris
NOEC chronic crustacea	9.6 mg/l Test organisms (species): Daphnia magna
EC50, algae, Selenastrum capricornutum	> 100 mg/l (48 Hours)

propan-2-01; isopropyi alconoi; isopropanoi (67-63-0)	
LC50 - Fish [1]	9640 mg/l Test organisms (species): Fathead minnow (Pimephales promelas)
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): (Desmodesmus subspicatus)
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)

## 12.2. Persistence and degradability

Glass Cleaner (WP 2038)	
Persistence and degradability	Not established.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3-butoxypropan-2-ol; propylene glycol	
Persistence and degradability	Readily biodegradable.
ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O₂/g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	37.74 % ThOD
Biodegradation	84 % 20 days
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	1.19 – 1.72 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O₂/g substance

## 12.3. Bioaccumulative potential

Glass Cleaner (WP 2038)	
Bioaccumulative potential	Not established.
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
Partition coefficient n-octanol/water (Log Pow)	1.2
Bioaccumulative potential	Not established.
ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Low.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	No bioaccumulation.

## 12.4. Mobility in soil

ethanol; ethyl alcohol (64-17-5)		
Surface tension	24.5 mN/m	
Ecology - soil Product evaporates when in contact with the air.		
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Surface tension	22.7 mN/m	
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.	

## 12.5. Results of PBT and vPvB assessment

Component	
The state of the s	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Additional information Flammable vapours may accumulate in the container. Handle empty containers with care

because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name			
FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol)	Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol)
Transport document descr	iption			
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II
14.3. Transport hazard o	class(es)			
3	3	3	3	3
3	3	3	3	3
14.4. Packing group				
II	II	II	II	II

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

#### 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640D

Limited quantities (ADR) : 1I Excepted quantities (ADR) : E2

Packing instructions (ADR) : P001, IBC02, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 2
Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

33 1993

Tunnel restriction code (ADR) : D/E EAC code : •3YE

#### Transport by sea

Orange plates

Special provisions (IMDG): 274Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T7

Tank special provisions (IMDG) : TP1, TP28, TP8

EmS-No. (Fire): F-EEmS-No. (Spillage): S-EStowage category (IMDG): B

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) Y341 PCA limited quantity max net quantity (IATA) 1L PCA packing instructions (IATA) 353 PCA max net quantity (IATA) 5L CAO packing instructions (IATA) 364 CAO max net quantity (IATA) 60L Special provisions (IATA) A3 ERG code (IATA) 3H

#### Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640D

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ventilation (ADN) : VE01 Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640D

Limited quantities (RID) : 1L Excepted quantities (RID) : E2

Packing instructions (RID) : P001, IBC02, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
EC50	Median effective concentration

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
ThOD	Theoretical oxygen demand (ThOD)
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.