

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 09/06/2025 Issue date: 13/03/2014 Revision date: 09/06/2022 Supersedes version of: 10/02/2022 Version: 1.9

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product form Trade name Product code Type of product Vaporizer Product group	 Mixture Plastic Cleaner (WP 1409) WP 1409 Aqueous mixture based on :Polymeric material containing a volatile hydrocarbon Spray Blend 	
1.2. Relevant identified uses of the substan	nce or mixture and uses advised against	
 1.2.1. Relevant identified uses Main use category 1.2.2. Uses advised against No additional information available 	: Professional use	
1.3. Details of the supplier of the safety dat	ta sheet	
Wessex Chemical Factors Ltd 17 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset BH21 6FA United Kingdom T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863 www.wessexchemicalfactors.co.uk E-mail address of competent person responsible for	the SDS : info@wessexchemicalfactors.co.uk	
1.4. Emergency telephone number		
Emergency number	: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) +44 (0) 7973629367 (Out of hours emergency number)	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixt	ure	
Classification according to Pequilation (EC) No. 1272/2008 [CLP]		

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction.

2.2. Label elements		
Labelling according to Regulation (EC) No.	. 1272/2008 [CLP]	
Hazard pictograms (CLP)	GHS07	

Signal word (CLP)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains	: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
Hazard statements (CLP)	 H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eve irritation.
Precautionary statements (CLP)	 P261 - Avoid breathing vapours, spray, mist. P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective gloves. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25-XXXX	3 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
poly(oxy-1,2-ethanediyl), α-[3,5-dimethyl-1-(2- methylpropyl)hexyl]-ω-hydroxy-	CAS-No.: 60828-78-6 EC-No.: 612-043-8	0.1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
ethanol, 2,2'-iminobis-,N-[3-(branched decyloxy)propyl] derivs., N-oxides	CAS-No.: 68478-65-9 EC-No.: 270-830-8	0.5 – 1	Eye Irrit. 2, H319
2-methylpentane-2,4-diol	CAS-No.: 107-41-5 EC-No.: 203-489-0 EC Index-No.: 603-053-00-3	0.01 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1) (Note B)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	< 0.3	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT RE 1, H372 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	0.01 – 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Safety Data Sheet

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-methylpropan-2-ol; tert-butyl alcohol substance with national workplace exposure limit(s) (GB)	CAS-No.: 75-65-0 EC-No.: 200-889-7 EC Index-No.: 603-005-00-1	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2, H319 STOT SE 3, H335
hydrogen peroxide solution % (Note B)	CAS-No.: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22-XXXX	< 0.01	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
copper dinitrate	CAS-No.: 3251-23-8 EC-No.: 221-838-5 REACH-no: 01-2119969290- 34	< 0.01	Ox. Sol. 2, H272 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 2, H411
DIETHYL PHTHALATE substance with national workplace exposure limit(s) (GB)	CAS-No.: 84-66-2 EC-No.: 201-550-6	< 0.01	Not classified
DIPHENYL ETHER substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2	< 0.01	Eye Irrit. 2, H319
CAMPHOR substance with national workplace exposure limit(s) (GB)	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 0.01	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	(0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 (0.06 ≤C < 0.6) Eye Irrit. 2, H319 (0.06 ≤C < 0.6) Skin Irrit. 2, H315 (0.6 ≤C ≤ 100) Eye Dam. 1, H318 (0.6 ≤C ≤ 100) Skin Corr. 1C, H314
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6 EC Index-No.: 603-001-00-X REACH-no: 01-2119433307- 44-XXXX	(3 ≤C < 10) STOT SE 2, H371 (10 ≤C < 100) STOT SE 1, H370
hydrogen peroxide solution %	CAS-No.: 7722-84-1 EC-No.: 231-765-0 EC Index-No.: 008-003-00-9 REACH-no: 01-2119485845- 22-XXXX	$(5 \le C < 8)$ Eye Irrit. 2, H319 $(8 \le C < 50)$ Eye Dam. 1, H318 $(35 \le C < 100)$ STOT SE 3, H335 $(35 \le C < 50)$ Skin Irrit. 2, H315 $(50 \le C < 70)$ Skin Corr. 1B, H314 $(50 \le C < 70)$ Ox. Liq. 2, H272 $(70 \le C < 100)$ Skin Corr. 1A, H314 $(70 \le C < 100)$ Ox. Liq. 1, H271

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to present a significant hazard under anticipated conditions of normal use. No significant risk to health. May cause an allergic skin reaction. May cause slight irritation. Slight eye irritant upon direct contact. Conjunctivitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Fire hazard Hazardous decomposition products in case of fire	 While not normally combustible, if water content is lost (as in a fire), material may release flammable vapours if exposed to high temperature. Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Formaldehyde.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protec	tive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	 Stop leak without risks if possible. Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or 	
Methods for cleaning up	diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing vapours, spray, mist. Wear personal protective equipment. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions Incompatible products Incompatible materials	 Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use. Strong bases. Strong acids. Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection	
--	--

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

hydrogen peroxide solution % (7722-84-1)	
United Kingdom - Occupational Exposure Limits	
Local name	Hydrogen peroxide
WEL TWA (OEL TWA) [1]	1.4 mg/m³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	2.8 mg/m ³
WEL STEL (OEL STEL) [ppm]	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
methanol (67-56-1)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Methanol
IOEL TWA [ppm]	200 ppm
Remark	Skin
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom - Occupational Exposure Limits	
Local name	Methanol
WEL TWA (OEL TWA) [1]	266 mg/m³
WEL TWA (OEL TWA) [2]	200 ppm
WEL STEL (OEL STEL)	333 mg/m³
WEL STEL (OEL STEL) [ppm]	250 ppm
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
2-methylpentane-2,4-diol (107-41-5)	
United Kingdom - Occupational Exposure Limits	
Local name	2-Methylpentane-2,4-diol
WEL TWA (OEL TWA) [1]	123 mg/m³
WEL TWA (OEL TWA) [2]	25 ppm
WEL STEL (OEL STEL)	123 mg/m³
WEL STEL (OEL STEL) [ppm]	25 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
DIETHYL PHTHALATE (84-66-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Diethyl phthalate
WEL TWA (OEL TWA) [1]	5 mg/m³
WEL STEL (OEL STEL)	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DIPHENYL ETHER (101-84-8)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Diphenyl ether
IOEL TWA	7 mg/m³
IOEL STEL	14 mg/m³
IOEL STEL [ppm]	2 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
United Kingdom - Occupational Exposure Limits	
Local name	Diphenyl ether
WEL TWA (OEL TWA) [1]	7 mg/m³
WEL TWA (OEL TWA) [2]	1 ppm
WEL STEL (OEL STEL)	14 mg/m³
WEL STEL (OEL STEL) [ppm]	2 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
2-methylpropan-2-ol; tert-butyl alcohol (75-65-	-0)
United Kingdom - Occupational Exposure Limits	
Local name	2-Methylpropan-2-ol
WEL TWA (OEL TWA) [1]	308 mg/m³
WEL TWA (OEL TWA) [2]	100 ppm
WEL STEL (OEL STEL)	462 mg/m³
WEL STEL (OEL STEL) [ppm]	150 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
CAMPHOR (76-22-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Bornan-2-one
WEL TWA (OEL TWA) [1]	13 mg/m³
WEL TWA (OEL TWA) [2]	2 ppm
WEL STEL (OEL STEL)	19 mg/m³
WEL STEL (OEL STEL) [ppm]	3 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold pH Relative evaporation rate (butylacetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapour pressure Relative vapour density at 20 °C Relative density	 Liquid Liquid. opaque. pink. milky. Odour relevant to fragrance. Pleasant (perfume). No data available 6.9 No data available Not applicable No data available No data available > 60 °C No data available No flammable. No data available
Relative density Density	: No data available : 0.99 g/cm ³

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: In water, the material disperses.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects	
Acute toxicity (dermal)	Not classified Not classified Not classified
hydrogen peroxide solution % (7722-84-1)	
LC50 Inhalation - Rat	2000 mg/m³ vapour
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	12800 mg/kg
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))
methanol (67-56-1)	
LD50 oral rat	1187 – 2769 mg/kg
LC50 Inhalation - Rat	115.9 – 130.7 mg/l/4h
reaction mass of 5-chloro-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Safety Data Sheet

LC50 Inhalation - Rat (Duat/Mat) 0.31 mg/l4h DIETHYL PHTHALATE (84-66-2) 6000 mg/kg LD50 durnal 24.9 dy& Guinoa Pig 2-methylpropan-2-ol; tert-butyl alcohol (75-65-) LD50 durnal rat 2.500 durnal rabbit > 2000 mg/kg bodywelght Skin corrosion/inflation : Causes skin inflation. .pf 6.9 Additional information .exist skin corrosion/inflation : Causes skin inflation. .pf 6.9 Seed on available data. the classification citeria are not met .exist skin sensitisation : Causes skin inflation. .exist skin sensitisation : Causes skin instations and pileparations which, if they are inhaled or if they panetrate the skin, are capable of elicting a reaction of hypersensitization such that on further exposure to the substance or preparation. Charter exposure to the substance or available data, the classification oriteria are not met Carcingenicity : Not classified Additional information : Based on available data, the classification oriteria are not met Not classified N	reaction mass of 5-chloro-2-methyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
LDS0 oral rat 8600 mg/kg LDS0 dermal 22.4 g/kg Guinea Pig 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) 1000 mg/kg LDS0 dermal rabit > 2000 mg/kg bodyweight Sin corresion/inflation : Gauses akin inflation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Serious eye damage/inflation : Causes acin allergic skin carcino. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitization : May cause an allergic skin reaction of hypesresultization such tato in future exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Nydrogen peroxide solution % (7722-84-1) STOT-single exposure STOT-single exposure May cause respiratory inflation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure May caus	LC50 Inhalation - Rat (Dust/Mist)	0.31 mg/l/4h
LD50 dermal 22.4 g/kg Guinea P/g 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) 3500 mg/kg LD50 dermal rabbit > 2000 mg/kg bodyweight Skin corrosion/inflation : Causes skin inflation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Causes are solve sey inflation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. PH: 6.9 Additional information : Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met StoTo-single exposure May cause respiratory inftaton. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) StoT-single exposure StoTo-single exposure May cause drowalabe data, the cl	DIETHYL PHTHALATE (84-66-2)	·
Z-methylpropan-2-ol; tort-butyl alcohol (75-65-0) LD50 oral rat 3500 mg/kg LD50 oral rat >2000 mg/kg bodyweight Skin corrosion/inflation : Causes askin inflation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Scirulus eye damage/initiation : Causes are source seye inflation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Based on available data, the classification criteria are not met Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive boxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive boxicity : Not classified Additional information : Based on available data, the classification criteria are not met StoTo1-single exposure May cause respiratory irritation.	LD50 oral rat	8600 mg/kg
LD50 oral rat 3500 mg/kg LD50 dermal rabbit > 2000 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Causes serious eye irritation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation :: May cause an allergic skin reaction. Additional information : Sensitzing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersonsitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Strio ringle exposure : Not classified Additional information : Based on available data, the classification criteria are not met Strio ringle exposure : Not classified Additional information : Based on available data, the classification criteria are not met Strio T-single exposure : Not classified Additional information :	LD50 dermal	22.4 g/kg Guinea Pig
LDS0 dermal rabbit > 2000 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. pH: 6.3 Based on available data, the classification criteria are not met Serious eye damage/irritation : Causes serious eye irritation. pH: 6.4 Based on available data, the classification criteria are not met Serious eye dim sensitization : Causes serious eye irritation. Additional information : Based on available data, the classification criteria are not met Repriratory or skin sensitization : Way cause an alergin skin rescion. Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Xdditional information : Based on available data, the classification criteria are not met Nydrogen peroxide solution % (7722-84-1) : STOT-single exposure May cause damage to organs. 27DT-s	2-methylpropan-2-ol; tert-butyl alcohol (75-65	-0)
Carling and the set of t	LD50 oral rat	3500 mg/kg
Additional information :: Based on available data, the classification criteria are not met Additional information :: Based on available data, the classification criteria are not met Respiratory or skin sensitisation :: May cause an allergic skin reaction. Additional information :: Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of thyersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Stort-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met Stort-single exposure : Not classified regresposure : Not classified <	LD50 dermal rabbit	> 2000 mg/kg bodyweight
Additional information : Based on available data, the classification criteria are not met Serious eye damage/initiation : Causes serious eye iritation. pH: 6.9 Additional information : Based on available data, the classification criteria are not met Additional information : Based on available data, the classification criteria are not met Additional information : Sensitizing': substances and preparations which, if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Hydrogen peroxide solution% (7722.84-1)	Skin corrosion/irritation :	
pH: 6.9 Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met TOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single ex	Additional information :	
Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : May cause an allergic skin reaction. Additional information : Sensitizing: substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information :: Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information :: Based on available data, the classification criteria are not met Additional information :: Based on available data, the classification criteria are not met Additional information :: Based on available data, the classification criteria are not met Additional information :: Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information :: Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause damage to organs. <td>Serious eye damage/irritation :</td> <td></td>	Serious eye damage/irritation :	
Additional information : "Sensitizing": substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution% (7722-84-1) STOT-single exposure STOT-single exposure May cause respiratory irritation. propan-2-ol; Isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure STOT-single exposure May cause damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure <	Additional information :	
skin, are capable of eliciting a reaction of hypersensitization such that on further exposure to the substance or preparation, characteristic adverse effects are produced. Germ cell mutagenicity i Not classified Additional information i Based on available data, the classification oriteria are not met Carcinogenicity i Not classified Additional information i Based on available data, the classification oriteria are not met Reproductive toxicity i Not classified Additional information i Based on available data, the classification oriteria are not met STOT-single exposure i Not classified Additional information i Based on available data, the classification oriteria are not met hydrogen peroxide solution % (7722-84-1) Torisingle exposure STOT-single exposure May cause respiratory irritation. propan-2-01; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure Causes damage to organs. 2-methylpropan-2-0; tert-butyl alcohol (75-65-0) STOT-single exposure STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-single exposure Not classified Additional information Based on available data, the cla		• •
Germ oell mutagenicity Not classified Germ oell mutagenicity Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity Not classified Additional information Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information Based on available data, the classification criteria are not met STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) Tortsingle exposure STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure STOT-single exposure May cause respiratory irritation. CAMPHOR (76-222) STOT-single exposure STOT-single exposure May cause damage to organs. STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met	Additional information :	
Gern cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause damage to organs. 250T-respeated exposure Not classified Additional information : Based on available		
Additional information :: Based on available data, the classification criteria are not met Carcinogenicity :: Not classified Additional information :: Based on available data, the classification criteria are not met Reproductive toxicity :: Not classified Additional information :: Based on available data, the classification criteria are not met STOT-single exposure :: Not classified Additional information :: Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-repeated exposure CAMPHOR (76-22-2) STOT-single exposure Not classified Additional information :: Based on available data, the classification criteria are not met methanol (67-56-1) C	Germ cell mutagenicity	
Carcinogenicity Not classified Additional information E Based on available data, the classification criteria are not met Reproductive toxicity Not classified Additional information E Based on available data, the classification criteria are not met STOT-single exposure Not classified hydrogen peroxide solution % (7722-84-1) Formation STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-repeated exposure Not classified Additional information Based on available data, the classification criteria are not met methanol (67-56-1) Exposure LOAEL, subacute,		
Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution% (7722-84-1) Image: Store St		
Additional information : Based on available data, the classification criteria are not met STOT-single exposure : Not classified hydrogen peroxide solution % (7722-84-1) May cause respiratory irritation. STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. cAMPHOR (76-22-2) STOT-single exposure STOT-single exposure May cause damage to organs. CALSE exposure May cause damage to organs. STOT-single exposure Not classified Additional information Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey Z340 mg/kg bw (3 days) reaction mass of		Based on available data, the classification criteria are not met
STOT-single exposure : Not classified Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-single exposure Stot classified Additional information Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	Reproductive toxicity :	Not classified
Additional information : Based on available data, the classification criteria are not met hydrogen peroxide solution% (7722-84-1) STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-single exposure Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
hydrogen peroxide solution % (7722-84-1) STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-single exposure Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex; male, Guideli		
STOT-single exposure May cause respiratory irritation. propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-repeated exposure Not classified Additional information Eased on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		Based on available data, the classification criteria are not met
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-repeated exposure Inducta a cause damage to organs. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) IOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) IOAEL (dermal, rat/rabbit, 90 days) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animai: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
STOT-single exposure May cause drowsiness or dizziness. methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-single exposure May cause damage to organs. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	STOT-single exposure	May cause respiratory irritation.
methanol (67-56-1) STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-repeated exposure May cause damage to organs. STOT-repeated exposure Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		67-63-0)
STOT-single exposure Causes damage to organs. 2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-repeated exposure Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	STOT-single exposure	May cause drowsiness or dizziness.
2-methylpropan-2-ol; tert-butyl alcohol (75-65-0) STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-repeated exposure Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
STOT-single exposure May cause respiratory irritation. CAMPHOR (76-22-2) STOT-single exposure STOT-single exposure May cause damage to organs. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	STOT-single exposure	Causes damage to organs.
CAMPHOR (76-22-2) STOT-single exposure May cause damage to organs. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	2-methylpropan-2-ol; tert-butyl alcohol (75-65	-0)
STOT-single exposure May cause damage to organs. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothizol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met methanol (67-56-1) LOAEL, subacute, oral, monkey LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	CAMPHOR (76-22-2)	
Additional information : Based on available data, the classification criteria are not met methanol (67-56-1)		, , , , , , , , , , , , , , , , , , , ,
LOAEL, subacute, oral, monkey 2340 mg/kg bw (3 days) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	methanol (67-56-1)	
LOAEL (dermal, rat/rabbit, 90 days) 0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	LOAEL, subacute, oral, monkey	2340 mg/kg bw (3 days)
(Subchronic Dermal Toxicity 90 Days)	reaction mass of 5-chloro-2-methyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.	LOAEL (dermal, rat/rabbit, 90 days)	
	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2-methylpentane-2,4-diol (107-41-5)	
NOAEL (oral, rat, 90 days)	450 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents)
Aspiration hazard Additional information	 Not classified Based on available data, the classification criteria are not met
Plastic Cleaner (WP 1409)	
Vaporizer	Spray
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Hazardous to the aquatic environment, short-term : Not classified (acute) Hazardous to the aquatic environment, long-term Not classified (chronic) hydrogen peroxide solution... % (7722-84-1) LC50 - Fish [1] 16.4 mg/l Test organisms (species): Fathead minnow (Pimephales promelas) LC50 - Other aquatic organisms [1] 17.7 mg/l Freshwater snail EC50 - Crustacea [1] 2.4 mg/l Test organisms (species): Daphnia pulex EC50 72h - Algae [1] 5.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata ErC50 algae 2.62 mg/l Test organisms (species): Skeletonema costatum (marine diatom) NOEC chronic fish 5 mg/l propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) LC50 - Fish [1] 9640 mg/l Test organisms (species): Fathead minnow (Pimephales promelas) EC50 72h - Algae [1] > 1000 mg/l Test organisms (species): (Desmodesmus subspicatus) EC50, daphnia, short term 9714 mg/l (24 Hours, (OECD 202 method)) 1050 mg/l (16 Hours) EC5, microorganisms, Pseudomonas putida methanol (67-56-1) LC50 - Fish [1] 15400 mg/I Test organisms (species): Lepomis macrochirus (Bluegill) LC50 - Fish [2] > 100 mg/l Test organisms (species): Pimephales promelas (Fat-head Minnow) EC50 - Crustacea [1] 18260 mg/l Test organisms (species): Daphnia magna EC50 - Other aquatic organisms [1] 2500 mg/l Test organisms (species): Crangon Crangon (Common sand shrimp) EC50 96h - Algae [1] 22000 mg/l Test organisms (species): Selenastrum capricornutum EC50 96h - Algae [2] 16.912 mg/l Test organisms (species): Ulva pertusa NOEC chronic fish 15800 mg/l Test organisms (species): Oryzias latipes (Red killifish) IC50, microorganisms, acute 20000 mg/l (15 Hours) > 1000 mg/l (3 Hours) IC50, microorganisms, acute reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) LC50 - Fish [1] 0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

Safety Data Sheet

reaction mass of 5-chloro-2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.019 mg/l Test organisms (species): Skeletonema costatum
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'
NOEC chronic algae	0.004 mg/l
copper dinitrate (3251-23-8)	
LC50 - Fish [1]	0.286 mg/l
EC50 - Crustacea [1]	10 μg/l temp 20°C
NOEC chronic fish	0.0116 mg/l
NOEC chronic crustacea	0.118 mg/l
NOEC chronic algae	0.03 mg/l
2-methylpentane-2,4-diol (107-41-5)	
EC50 - Crustacea [1]	5410 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 429 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
DIETHYL PHTHALATE (84-66-2)	
LC50 - Fish [1]	12 mg/l Rainbow trout
LC50 - Fish [2]	29 mg/l Sheephead minnow
EC50 - Crustacea [1]	90 mg/l
EC50 72h - Algae [1]	45 mg/l
NOEC chronic fish	1.9 mg/l
NOEC chronic crustacea	43 mg/l
NOEC chronic algae	9 mg/l
2-methylpropan-2-ol; tert-butyl alcohol (75-6	5-0)
LC50 - Fish [1]	> 961 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	933 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 976 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 976 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic algae	976 mg/l
CAMPHOR (76-22-2)	
LC50 - Fish [1]	33.25 mg/l
EC50 - Crustacea [1]	4.23 mg/l
EC50 72h - Algae [1]	1.71 mg/l
NOEC chronic algae	0.032 mg/l

Safety Data Sheet

12.2. Persistence and degradability		
Plastic Cleaner (WP 1409)		
Persistence and degradability	Not established.	
hydrogen peroxide solution… % (7722-84-1)		
Persistence and degradability	Readily biodegradable.	
ethanol, 2,2'-iminobis-,N-[3-(branched decylo	xy)propyl] derivs., N-oxides (68478-65-9)	
Persistence and degradability	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.	
Biochemical oxygen demand (BOD)	1.19 – 1.72 g O ₂ /g substance	
Chemical oxygen demand (COD)	2.23 g O ₂ /g substance	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable.	
Biochemical oxygen demand (BOD)	0.6 – 1.12 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.42 g O ₂ /g substance	
ThOD	1.5 g O ₂ /g substance	
BOD (% of ThOD)	0.8 % ThOD	
Biodegradation	95 % 20 days	
reaction mass of 5-chloro-2-methyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
Plastic Cleaner (WP 1409)		
Bioaccumulative potential	Not established.	
hydrogen peroxide solution % (7722-84-1)		
Bioaccumulative potential	No bioaccumulation.	
ethanol, 2,2'-iminobis-,N-[3-(branched decylo	ethanol, 2,2'-iminobis-,N-[3-(branched decyloxy)propyl] derivs., N-oxides (68478-65-9)	
	······································	
Bioaccumulative potential	Not established.	
Bioaccumulative potential propan-2-ol; isopropyl alcohol; isopropanol (Not established.	
· ·	Not established.	
propan-2-ol; isopropyl alcohol; isopropanol (Not established. 67-63-0)	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow)	Not established. 67-63-0) 0.05	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential	Not established. 67-63-0) 0.05	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential methanol (67-56-1)	Not established. 67-63-0) 0.05 No bioaccumulation.	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential methanol (67-56-1) BCF - Fish [1]	Not established. 67-63-0) 0.05 No bioaccumulation. < 10 Leuciscus idus (Golden orfe)	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential methanol (67-56-1) BCF - Fish [1] Partition coefficient n-octanol/water (Log Pow)	Not established. 67-63-0) 0.05 No bioaccumulation. < 10 Leuciscus idus (Golden orfe)	
propan-2-ol; isopropyl alcohol; isopropanol (Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential methanol (67-56-1) BCF - Fish [1] Partition coefficient n-octanol/water (Log Pow) Bioaccumulative potential	Not established. 67-63-0) 0.05 No bioaccumulation. < 10 Leuciscus idus (Golden orfe)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.	
methanol (67-56-1)		
Surface tension	22.6 mN/m (20 °C)	
Ecology - soil	Product adsorbs onto the soil.	
12.5. Results of PBT and vPvB assessment		

Component	
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-methylpentane-2,4-diol (107-41-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations Ecology - waste materials	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment. 	

SECTION 14: Transport information

In accordance w	ith ADR /	IMDG /	IATA	ADN / RID
in accordance w			INIA	

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number	<u> </u>		'	·
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	lass(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group		·		
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental haz	ards	· · · · · · · · · · · · · · · · · · ·	·	·
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available	1	1	1

14.6. Special precautions for user

Overland transport

Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
BCF	Bioconcentration factor	
EC50	Median effective concentration	
LC50	Median lethal concentration	
LD50	Median lethal dose	
NOEC	No-Observed Effect Concentration	
РВТ	Persistent Bioaccumulative Toxic	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	

Safety Data Sheet

Data sources		REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and
		amending Regulation (EC) No 1907/2006.
Other information	:	None.

Full text of H- and EUH-statements:			
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4		
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Sol. 2	Flammable solids, Category 2		
H225	Highly flammable liquid and vapour.		
H228	Flammable solid.		
H271	May cause fire or explosion; strong oxidiser.		
H272	May intensify fire; oxidiser.		
H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H310	Fatal in contact with skin.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H330	Fatal if inhaled.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H335	May cause respiratory irritation.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:		
H336	May cause drowsiness or dizziness.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Ox. Liq. 1	Oxidising Liquids, Category 1	
Ox. Liq. 2	Oxidising Liquids, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.