

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 04/07/2025 Issue date: 04/07/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Trade name	: Bright Foam
Product code	: WP 2217
Type of product	: Caustic products, Oven cleaners
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	
Industrial/Professional use spec	
Use of the substance/mixture	

- : Professional use
- : For professional use only

: Oven cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd
17 Crane Way, Woolsbridge Industrial Park,
Three Legged Cross, Wimborne, Dorset
BH21 6FA
United Kingdom
T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863
www.wessexchemicalfactors.co.uk
E-mail address of competent person responsible for the SDS : info@wessexchemicalfactors.co.uk

1.4. Emergency telephone number

Emergency number

: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) +44 (0) 7973629367 (Out of hours emergency number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1, Sub-Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full toxt of H and FUH atatamenta: and apation 16	

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	GHS05
Signal word (CLP)	: Danger
Contains	: sodium hydroxide; caustic soda, alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts
Hazard statements (CLP)	: H290 - May be corrosive to metals.
	H314 - Causes severe skin burns and eye damage.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P280 - Wear protective gloves, protective clothing, eye protection.
	P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	Immediately call a POISON CENTER, a doctor.
	P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower. Immediately call a POISON CENTER, a doctor.
	P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a
	POISON CENTER, a doctor.
	P390 - Absorb spillage to prevent material damage.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
methylglycine N,N-diacetic acid, trisodium salt (40% aqueous solution)	REACH-no: 01-0000016977- 53	10 – 15	Met. Corr. 1, H290
sodium hydroxide; caustic soda (Main constituent)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27-XXXX	6 – 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
(2-methoxymethylethoxy)propanol	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60-XXXX	1 – 3	Not classified
aryl ether phosphate ester, potassium salt	CAS-No.: 72283-31-9	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
sodium xylene sulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56-0001	1 – 3	Eye Irrit. 2, H319
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	CAS-No.: 90170-43-7 EC-No.: 290-476-8 REACH-no: 01-2119976233- 35-0001	1 – 3	Eye Irrit. 2, H319
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8	1 – 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-butoxypropan-2-ol; propylene glycol monobutyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8 REACH-no: 01-2119475527- 28-XXXX	0.5 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS-No.: 2372-82-9 EC-No.: 219-145-8	0.5 – 1	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
dodecan-1-ol	CAS-No.: 112-53-8 EC-No.: 203-982-0 REACH-no: 01-2119485976- 15-XXXX	0.1 – 0.5	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
1-tetradecanol	CAS-No.: 112-72-1 EC-No.: 204-000-3 REACH-no: 01-2119485910- 33-XXXX	0.01 – 0.3	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
red dye	CAS-No.: 3567-69-9 EC-No.: 222-657-4	< 0.01	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda (Main constituent)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27-XXXX	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Call a physician immediately. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: If breathing is difficult, trained personnel should give oxygen. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.	
First-aid measures after skin contact	 Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately. Immediately call a POISON CENTER/doctor. 	
First-aid measures after eye contact	 Rinse immediately and plentifully with water, also under the eyelids, for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. 	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes severe skin burns and eye damage. Burns. Causes serious eye damage. Burns. 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media	 : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. Sand. : Do not use a heavy water stream. 		
5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire	: In case of fire, irritating fumes come free.		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection. 		

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Stop leak without risks if possible.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Do not breathe vapours, spray, mist. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact during pregnancy/while nursing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash Both hands thoroughly after handling.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Comply with applicable regulations.
Storage conditions	: Store locked up. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use.
Incompatible products	: Strong oxidizing agents. Strong bases. Strong acids.
Incompatible materials	: Aluminium. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Cleaning.

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m ³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
(2-methoxymethylethoxy)propanol (34590-94-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	(2-Methoxymethylethoxy)-propanol	
IOEL TWA	308 mg/m³	
IOEL TWA [ppm]	50 ppm	
Remark	Skin	
Regulatory reference COMMISSION DIRECTIVE 2000/39/EC		
United Kingdom - Occupational Exposure Limits		
Local name	(2-methoxymethylethoxy) propanol	
WEL TWA (OEL TWA) [1]	308 mg/m ³	
WEL TWA (OEL TWA) [2]	50 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective goggles. Protective clothing. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or face shield

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	Liquid
Appearance	:	Red liquid.
Colour	:	red.
Odour	:	characteristic.
Odour threshold	:	No data available
рН	:	No data available
pH solution	:	~ 13
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	Not applicable
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	Non flammable.
Vapour pressure	:	No data available
Relative vapour density at 20 °C	:	No data available
Relative density	:	No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Density	: 1.14 g/cm ³
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions may occur on contact with certain chemicals. (Refer to the list of incompatible materials section 10: "Stability-Reactivity").

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong oxidizing agents. aluminium. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO2). fume. Corrosive vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects		
Acute toxicity (dermal)	Not classified Not classified Not classified	
LD50 oral	325 mg/kg bodyweight	
sodium xylene sulphonate (1300-72-7)		
LD50 oral rat	≥ 7200 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
aryl ether phosphate ester, potassium salt (72283-31-9)		
LD50 oral rat	> 2000 mg/kg	
dodecan-1-ol (112-53-8)		
LD50 oral rat	> 2000 mg/kg bodyweight	
LD50 dermal rabbit	8000 – 12000 mg/kg bodyweight	

Safety Data Sheet

1-tetradecanol (112-72-1)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	8000 mg/kg	
LC50 Inhalation - Rat	> 2.05 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
3-butoxypropan-2-ol; propylene glycol monol	outyl ether (5131-66-8)	
LD50 oral rat	> 2000 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
(2-methoxymethylethoxy)propanol (34590-94-	-8)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	3404.47 mg/l	
alcohols, C12-14, ethoxylated (1-2.5 EO), sulp	hates, sodium salts (68891-38-3)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
N-(3-aminopropyl)-N-dodecylpropane-1,3-dia	mine (2372-82-9)	
LD50 dermal rat	> 600 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:	
5 5	Causes severe skin burns. Causes serious eye damage. Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met	
1-tetradecanol (112-72-1)		
NOAEL (chronic, oral, animal/female, 2 years)	300 mg/kg bodyweight Animal: mouse, Animal sex: female, Remarks on results: other:	
Reproductive toxicity : Additional information : STOT-single exposure : Additional information :	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met	
red dye (3567-69-9)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure : Additional information :	Not classified Based on available data, the classification criteria are not met	
1-tetradecanol (112-72-1)		
LOAEL (dermal, rat/rabbit, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
NOAEL (oral, rat, 90 days)	 > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) 	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1 totrodoconol (112 72 1)		
1-tetradecanol (112-72-1)	1	
NOAEL (dermal, rat/rabbit, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
(2-methoxymethylethoxy)propanol (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)		
LOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (oral, rat, 90 days)	43 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)		
LOAEL (dermal, rat/rabbit, 90 days)	5 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard : Additional information : Potential adverse human health effects and : symptoms :	Not classified Based on available data, the classification criteria are not met Risk of serious damage to eyes,Corrosive. Causes severe burns	

SECTION 12: Ecological information

12.1. Toxicity		
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Not classified Harmful to aquatic life with long lasting effects.	
sodium hydroxide; caustic soda (1310-73-2)		
LC50 - Fish [1]	125 mg/l Test organisms (species): Western mosquitofish (Gambusia affinis)	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.	
EC50, microorganisms, (Photobacterium phosphoreum)	22 mg/l (15 minutes)	
sodium xylene sulphonate (1300-72-7)		
LC50 - Fish [1]	> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)	
EC50 - Crustacea [1]	> 1000 mg/l	
ErC50 algae	310 mg/l	

Safety Data Sheet

sodium xylene sulphonate (1300-72-7)		
NOEC chronic algae	40 mg/l	
dodecan-1-ol (112-53-8)		
LC50 - Fish [1]	1.01 mg/l 96 hours (Fathead Minnow)	
EC50 - Crustacea [1]	0.765 mg/l	
EC50 72h - Algae [1]	0.66 mg/l	
NOEC chronic crustacea	0.013 mg/l	
NOEC chronic algae	0.27 mg/l	
1-tetradecanol (112-72-1)		
LC50 - Fish [1]	> 1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	0.39 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	5.91 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	79.7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 72h - Algae [2]	20.5 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
NOEC chronic fish	0.26 mg/l Test organisms (species): Pimephales promelas Duration: '33 d'	
NOEC chronic crustacea	0.0063 mg/l	
3-butoxypropan-2-ol; propylene glycol monob	outyl ether (5131-66-8)	
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna	
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
(2-methoxymethylethoxy)propanol (34590-94-	8)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata	
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'	
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)		
LC50 - Fish [1]	7.1 mg/l	
EC50 - Crustacea [1]	7.4 mg/l	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl d	erivs., disodium salts (90170-43-7)	
LC50 - Fish [1]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	≈ 29 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	≈ 5.5 mg/l Test organisms (species): Chlorella vulgaris	

Safety Data Sheet

β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)		
EC50 72h - Algae [2] ≈ 9.4 mg/l Test organisms (species): Chlorella vulgaris		
NOEC (chronic)	≈ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (2372-82-9)		
LC50 - Fish [1]	0.431 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	0.0775 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	0.02 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
EC50 72h - Algae [2]	0.012 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
LOEC (chronic)	0.066 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.024 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
methylglycine N,N-diacetic acid, trisodium sa	It (40% aqueous solution)	
LC50 - Fish [1]	> 100 mg/l	
12.2. Persistence and degradability		
Bright Foam		
Persistence and degradability	May cause long-term adverse effects in the environment.	
sodium xylene sulphonate (1300-72-7)		
Persistence and degradability Readily biodegradable.		
aryl ether phosphate ester, potassium salt (72283-31-9)		
Persistence and degradability Not established.		
dodecan-1-ol (112-53-8)		
Persistence and degradability	Readily biodegradable.	
1-tetradecanol (112-72-1)		
Persistence and degradability	Readily biodegradable.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		
Persistence and degradability Readily biodegradable.		
(2-methoxymethylethoxy)propanol (34590-94-	8)	
Persistence and degradability	Readily biodegradable.	
Chemical oxygen demand (COD)	2.02 g O ₂ /g substance	
red dye (3567-69-9)		
Persistence and degradability	Not established.	
alcohols, C12-14, ethoxylated (1-2.5 EO), sulp	hates, sodium salts (68891-38-3)	
Persistence and degradability	Biodegradable.	
methylglycine N,N-diacetic acid, trisodium salt (40% aqueous solution)		
Persistence and degradability	Readily biodegradable.	

Safety Data Sheet

12.3. Bioaccumulative potential		
Bright Foam		
Bioaccumulative potential	Not established.	
sodium hydroxide; caustic soda (1310-73-2)		
Bioaccumulative potential	No bioaccumulation.	
sodium xylene sulphonate (1300-72-7)		
Bioaccumulative potential	Not established.	
aryl ether phosphate ester, potassium salt (72	2283-31-9)	
Bioaccumulative potential	Not established.	
dodecan-1-ol (112-53-8)		
Bioaccumulative potential	Not established.	
1-tetradecanol (112-72-1)		
Bioaccumulative potential	Not established.	
3-butoxypropan-2-ol; propylene glycol monob	outyl ether (5131-66-8)	
Partition coefficient n-octanol/water (Log Pow)	1.2	
Bioaccumulative potential	Not established.	
(2-methoxymethylethoxy)propanol (34590-94-	8)	
Bioaccumulative potential	Not bioaccumulable.	
red dye (3567-69-9)		
Bioaccumulative potential	Not established.	
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)		
Bioaccumulative potential	Bioaccumulation unlikely.	
methylglycine N,N-diacetic acid, trisodium salt (40% aqueous solution)		
Bioaccumulative potential	Bioaccumulation unlikely.	
12.4. Mobility in soil		
sodium hydroxide; caustic soda (1310-73-2)		
Ecology - soil	Mobile. Soluble material/quickly disperses in water.	
methylglycine N,N-diacetic acid, trisodium salt (40% aqueous solution)		
Mobility in soil	Adsoption to the solid soil particles is not expected.	
12.5. Results of PBT and vPvB assessment		
Component		
methylglycine N,N-diacetic acid, trisodium salt (40% aqueous solution)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
sodium hydroxide; caustic soda (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
(2-methoxymethylethoxy)propanol (34590-94-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	
sodium xylene sulphonate (1300-72-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
	May cause pH changes in aqueous ecological systems. Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID	
14.1. UN number	1				
UN 1824	UN 1824	UN 1824	UN 1824	UN 1824	
14.2. UN proper shippin	g name			-	
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	
Transport document descr	iption			1	
UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 Sodium hydroxide solution, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION 8, II	
14.3. Transport hazard o	class(es)				
8	8	8	8	8	
B	B B	Line and the second sec	Reference to the second	B	
14.4. Packing group				I	
II	II	II	II	II	
14.5. Environmental haz	ards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland	transport
Overland	autoport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions	: TP2
(ADR)	
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	80
	1824
Tunnel restriction code (ADR)	: E
EAC code	: 2R
Transport by sea	
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
· · ·	

IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Colourless liquid. Colourless liquid. Reacts with ammonium salts

Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C5
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C5
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP2

ts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

(RID)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank codes for RID tanks (RID)	:	L4BN
Transport category (RID)	:	2
Colis express (express parcels) (RID)	:	CE6
Hazard identification number (RID)	:	80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
COD	Chemical oxygen demand (COD)	
EC50	Median effective concentration	
EC-No.	European Community number	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
РВТ	Persistent Bioaccumulative Toxic	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

: None.

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Full text of H- and EUH-statements:		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H301	Toxic if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.