

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 10/06/2025 Issue date: 10/11/2014 Revision date: 10/06/2022 Supersedes version of: 16/08/2021 Version: 2.8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture Product name Rapid Cleanse (New Chelating Agent) WP 1920 WP 1920 Product code Type of product Aqueous mixture based on :Flocculant,Chelating agent,Non ionic surfactant,anionic surfactants Product group Blend 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Professional use Industrial/Professional use spec : Industrial Use of the substance/mixture : Cleaner for central heating systems 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Wessex Chemical Factors Ltd 17 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset BH21 6FA United Kingdom T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863 www.wessexchemicalfactors.co.uk E-mail address of competent person responsible for the SDS : info@wessexchemicalfactors.co.uk 1.4. Emergency telephone number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) Emergency number +44 (0) 7973629367 (Out of hours emergency number) **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Adverse physicochemical, human health and environmental effects

May be corrosive to metals.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

#### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

#### Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2 2	<b>Mixtures</b>
J.Z.	wixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glutamic acid, N,N-diacetic acid, tetrasodium salt	CAS-No.: 51981-21-6 EC-No.: 257-573-7 REACH-no: 01-2119493601- 38-XXXX	6 – 20	Not classified
sodium carbonate	CAS-No.: 497-19-8 EC-No.: 207-838-8 EC Index-No.: 011-005-00-2 REACH-no: 01-2119485498- 19-XXXX	1 – 3	Eye Irrit. 2, H319
sodium nitrite	CAS-No.: 7632-00-0 EC-No.: 231-555-9 EC Index-No.: 007-010-00-4 REACH-no: 01-2119471836- 27-XXXX	1 – 3	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400
aryl ether phosphate ester, potassium salt	CAS-No.: 72283-31-9	0.1 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
sodium N-lauroylsarcosinate	CAS-No.: 137-16-6	0.1 – 0.3	Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Dam. 1, H318
disodium metasilicate	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8	0.1 – 0.3	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
sodium xylene sulphonate	CAS-No.: 1300-72-7 EC-No.: 215-090-9 REACH-no: 01-2119513350- 56-0001	0.01 – 0.1	Eye Irrit. 2, H319
sodium sulphamidate	CAS-No.: 13845-18-6 EC-No.: 237-572-8	< 0.01	Not classified
disodium adipate	CAS-No.: 7486-38-6 EC-No.: 231-293-5	< 0.01	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.</li> </ul>	
First-aid measures after skin contact	<ul> <li>Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.</li> </ul>	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Do NOT induce vomiting. Obtain emergency medical attention.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>Slight eye irritant upon direct contact.</li> <li>Swallowing a small quantity of this material will result in serious health hazard.</li> </ul>	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul> <li>Use extinguishing media appropriate for surrounding fire. Sand. Water spray. Dry powder.</li> <li>Foam. Carbon dioxide.</li> <li>Do not use a heavy water stream.</li> </ul>
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> </ul>
· · · · · · · · · · · · · · · · · · ·	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	<ul> <li>Stop leak without risks if possible.</li> <li>Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.</li> </ul>	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	<ul> <li>Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. Store in corrosive resistant container with a resistant inner liner. Keep only in original container.	
Incompatible products Incompatible materials	<ul><li>Strong bases. Strong acids.</li><li>Sources of ignition. Direct sunlight. Light metals (AI, Zn).</li></ul>	

7.3. Specific end use(s)

No additional information available

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Use appropriate personal protection equipment (PPE). Avoid all unnecessary exposure. Safety glasses. Gloves.

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:** Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special protection required where adequate ventilation is maintained

#### 8.2.2.4. Thermal hazards

No additional information available

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Colorless to pale yellow liquid.
Colour	: Colourless. light yellow.
Odour	: Neutral.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.138 g/ml
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

**10.4. Conditions to avoid** 

Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials** 

Strong acids. Strong bases. Light metals (Al, Zn).

#### **10.6. Hazardous decomposition products**

Thermal decomposition generates : fume. Carbon oxides (CO, CO2).

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
disodium metasilicate (6834-92-0)		
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
sodium nitrite (7632-00-0)		
LD50 oral rat	180 mg/kg bodyweight Animal: rat, Animal sex: male	
LD50 dermal	No data/information is available for acute dermal toxicity. Sodium nitrite is not expected to pass the skin.	
LC50 Inhalation - Rat (Dust/Mist)	Testing concerning acute inhalation toxicity is not meaningful, since sodium nitrite has an extreme high water solubility and leads to oral uptake.	
sodium carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg bodyweight Animal: rat	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:	
aryl ether phosphate ester, potassium salt	(72283-31-9)	
LD50 oral rat	> 2000 mg/kg	
sodium xylene sulphonate (1300-72-7)		
LD50 oral rat	≥ 7200 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
sodium sulphamidate (13845-18-6)		
LD50 oral rat	> 2500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg bodyweight	
disodium adipate (7486-38-6)		
LD50 oral rat	5560 mg/kg bodyweight	
glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	
LD50 dermal rat	<ul> <li>&gt; 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:</li> </ul>	
LC50 Inhalation - Rat	> 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
sodium N-lauroyIsarcosinate (137-16-6)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LC50 Inhalation - Rat	0.05 – 0.5 mg/l/4h	
Skin corrosion/irritation Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Slightly irritant but not relevant for classification</li> </ul>	
Serious eye damage/irritation	: Slightly irritant but not relevant for classification	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information       : Based on available data, the classification criteria are not met         Samm cell mutagenicity       : Not classified         Additional information       : Based on available data, the classification criteria are not met         Sammenicity       : Not classified         Additional information       : Based on available data, the classification criteria are not met         Sodium nitrite (7632-00-0)       2A - Probably carcinogenic to humans         Sodium nitrite (7632-00-0)       150 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/male, 2 years)       150 mg/kg bodyweight Rat         Reproductive toxicity       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         STOT-single exposure       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         STOT-single exposure       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         STOT-single exposure       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         Stotalisticate (6834-92-0)       : Not classified         NoAEL (oral, rat, 90 days)       227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Gu		
Sam call mutagenicityNot classifiedAdditional information:Based on available data, the classification criteria are not metSociarcinogenicity:Not classifiedKdditional information:Based on available data, the classification criteria are not metSociarcinogenicity:Not classifiedKdditonal information:Based on available data, the classification criteria are not metSociarcinogenicity:Not classifiedSociarcinogenic to humans:Sociarcinogenic to humansSociarcinogenic to contract animal/mele. 2 years):130 mg/kg bodyweight RatReproductive toxicity:Not classifiedKdditonal information:Based on available data, the classification criteria are not metSTOT-single exposure:Not classifiedKdditonal information:Based on available data, the classification criteria are not metSTOT-single exposure:Not classifiedKdditonal information:Based on available data, the classification criteria are not metSTOT-single exposure:Not classifiedKdditonal information:Based on available data, the classification criteria are not metStoCarle actionalizato (6834-92-0):Not classifiedNoAEL (oral, rat, 90 days):::Sociar inter (7632-00-0):::NOEL, male, oral, rat:10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: ether: <td< td=""><td>Respiratory or skin sensitisation</td><td>: Not classified</td></td<>	Respiratory or skin sensitisation	: Not classified
kdditonal information       :       Based on available data, the classification criteria are not met         carcinogenicity       :       Not classified         sodium nitrite (7632-00-0)       ZA - Probably carcinogenic to humans         sodium nitrite (7632-00-0)       I30 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/male, 2 years)       150 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/femate, 2 years)       150 mg/kg bodyweight Rat         Voor classified       available data, the classification criteria are not met         didional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         didodium metasilicate (6834-92-0)       :       Not classified         STOT-single exposure       :       Not classified         Vdditonal information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       :       May cause respiratory irritation.         STOT-single exposure       :       Not classified         tdidonal information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       :       Not classified         NoAEL (oral, rat, 90 days)       :       :	Additional information	: Based on available data, the classification criteria are not met
Pacingopicity       Not classified         kdditional information       is Based on available data, the classification criteria are not met         sodium nitrite (7632-00-0)       ZA - Probably carcinogenic to humans         sodium nitrite (7632-00-0)       I30 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/male, 2 years)       150 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/male, 2 years)       Not classified         Storough (Chronic, oral, animal/female, 2 years)       Not classified         Keproductive toxicity       :       Not classified         Storough (Chronic, oral, animal/female, 2 years)       Not classified         Keproductive toxicity       :       Not classified         Kidditional information       :       Based on available data, the classification criteria are not met         Storough (Chronic, oral, animal/female, 2 years)       May cause respiratory irritation.         Storough (Chronic, oral, animal/female, 2 years)       May cause respiratory irritation.         Storough (Chronic, oral, anio (Chronic, oral		
Additional information       :       Based on available data, the classification criteria are not met         sodium nitrite (7632-00-0)       2A - Probably carcinogenic to humans         sodium nitrite (7632-00-0)       130 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/male, 2 years)       130 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         Reproductive toxicity       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         Gisodium metasilicate (6834-92-0)       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         Gisodium metasilicate (6834-92-0)       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         Gisodium metasilicate (6834-92-0)       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         Gisodium nitrite (7632-00-0)       :       D27 - 237 mg/kg bodywei		
sodium nitrite (7632-00-0)         ZA - Probably carcinogenic to humans           sodium nitrite (7632-00-0)         I30 mg/kg bodyweight Rat           NOAEL (chronic, oral, animal/male, 2 years)         130 mg/kg bodyweight Rat           NOAEL (chronic, oral, animal/female, 2 years)         150 mg/kg bodyweight Rat           Reproductive toxicity         : Not classified           Stort-single exposure         : Not classified           Viditional information         : Based on available data, the classification criteria are not met           STOT-single exposure         : Not classified           Vaditional information         : Based on available data, the classification criteria are not met           STOT-repeated exposure         : Not classified           Vaditional information         : Based on available data, the classification criteria are not met           STOT-repeated exposure         : Not classified           Vaditional information         : Based on available data, the classification criteria are not met           disodium metasilicate (6834-92-0)         227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)           sodium nitrite (7632-00-0)         VOAEL (oral, rat, 90 days)         227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: CDCD Guideline		
IARC group       2A - Probably carcinogenic to humans         sodium nitrite (7632-00-0)       130 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         Reproductive toxicity       :       Not classified         Kditional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         disodium metasilicate (6834-92-0)       May cause respiratory irritation.         STOT-single exposure       :       Not classified         vaditional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         Vaditional information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: DEA OPPTS 870.3100 (90-Day Oral Toxicity Study i		: Based on available data, the classification criteria are not met
sodium nitrite (7632-00-0)         NOAEL (chronic, oral, animal/male, 2 years)       130 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         speroductive toxicity       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         STOT-single exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       STOT-single exposure         STOT-single exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       STOT-single exposure         STOT-repeated exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       NOAEL (oral, rat, 90 days)         NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOEL, male, oral, rat       10 mg/kg bod/weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)         NOAEL (oral, rat, 90 days)       200 mg/kg bod/weigh	sodium nitrite (7632-00-0)	
NOAEL (chronic, oral, animal/male, 2 years)       130 mg/kg bodyweight Rat         NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         Reproductive toxicity       :       Not classified         Widtional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         diditional information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       :       Not classified         Vadditional information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       Mox cause respiratory irritation.         NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOEL, male, oral, rat       10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)         Solutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)       Solutamics (S (sub-Chronic Oral Toxicity Study in Rodents), Guideline: CECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (	IARC group	2A - Probably carcinogenic to humans
NOAEL (chronic, oral, animal/female, 2 years)       150 mg/kg bodyweight Rat         Reproductive toxicity       :       Not classified         Vaditional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       :       Not classified         Vaditional information       :       Based on available data, the classification criteria are not met         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       :       Not classified         Additional information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       STOT-repeated exposure       :       Not classified         Xolditional information       :       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90: Day Oral Toxicity Study in Rodents), Guideline 408 (Repeated Dose 90: Day Oral Toxicity Study in Rodents), Guideline: ether:         Sodium Ni-auroylsarcosinate (137-16-6)       IO0 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90:	sodium nitrite (7632-00-0)	
Reproductive toxicity       : Not classified         Vaditional information       : Based on available data, the classification criteria are not met         STOT-single exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       STOT-single exposure         STOT-single exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       May cause respiratory irritation.         STOT-repeated exposure       : Not classified         vaditional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       NOAEL (oral, rat, 90 days)         NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOEL, male, oral, rat       10 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight A	NOAEL (chronic, oral, animal/male, 2 years)	130 mg/kg bodyweight Rat
Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: Not classifiedSTOT-single exposure: Not classifiedSTOT-single exposure: Not classifiedSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metdisodium metasilicate (6834-92-0)May cause respiratory irritation.STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metdisodium metasilicate (6834-92-0): 227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)sodium nitrite (7632-00-0): 227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)sodium nitrite (7632-00-0): 0 mg/kg bw/day (2 years)glutamic acid, N,N-diacetic acid, tetrasodium = t (51981-21-6)NOAEL (oral, rat, 90 days): 0 0 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90Day Oral Toxicity Study in Rodents), Guideline:: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline:: EPA OPPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline:: EV PA OPPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline:: EPA OPPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline:: CECD Guideline 408 (Repeated Dose 90LOAEL (oral, rat, 90 days): 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90Day Oral Toxicity Study in Rodents), Guideline:: other:NOAEL (oral,	NOAEL (chronic, oral, animal/female, 2 years)	150 mg/kg bodyweight Rat
STOT-single exposure       : Not classified         Additional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       May cause respiratory irritation.         STOT-single exposure       : Not classified         Additional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       : Not classified         NOAEL (oral, rat, 90 days)       : 227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       : 01 mg/kg bw/day (2 years)         RoAEL (oral, rat, 90 days)       : 00 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: EV Method B.26 (Sub-Chronic Oral Toxicity Study in Rodents), Guideline: OEC	Reproductive toxicity	
Additional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)         STOT-single exposure       : Not classified         Construction       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         NOEL, male, oral, rat       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium       : (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Oray Oral Toxicity Study in Rodents), Guideline: EPA OPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPTS 870.3100 (90-Day Oral Toxicity Study in Rodents), Guideline: ether:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: ether:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: ether:         sodium N-lauroylsarcosinate (137-16	Additional information	
disodium metasilicate (6834-92-0)         STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       Not classified         Additional information       Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       Vot classified         NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       Vot may be widay (2 years)         Rutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B 26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: ra		
STOT-single exposure       May cause respiratory irritation.         STOT-repeated exposure       Not classified         Additional information       Based on available data, the classification criteria are not met <b>disodium metasilicate (6834-92-0)</b> 227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         Sodium nitrite (7632-00-0)       227 - 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         Sodium nitrite (7632-00-0)       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: r		: Based on available data, the classification criteria are not met
STOT-repeated exposure       : Not classified         Additional information       : Based on available data, the classification criteria are not met         disodium metasilicate (6834-92-0)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EIV Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: ether:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:	disodium metasilicate (6834-92-0)	
Additional information: Based on available data, the classification criteria are not metdisodium metasilicate (6834-92-0)227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)sodium nitrite (7632-00-0)227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)NOEL, male, oral, rat10 mg/kg bw/day (2 years)glutamic acid, N,N-diacetic acid, tetrasodium set (51981-21-6)NOAEL (oral, rat, 90 days)300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:LOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NoAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repe	STOT-single exposure	May cause respiratory irritation.
disodium metasilicate (6834-92-0)         NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOEL, male, oral, rat       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)       NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity In Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NoAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, G		
NOAEL (oral, rat, 90 days)       227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)       NOEL, male, oral, rat       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: other:         sodium N-lauroyIsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity in Rodents), Guideline: other:         Sodium N-lauroyIsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NoAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: other:         NoAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: other:	Additional information	: Based on available data, the classification criteria are not met
Dose 90-Day Oral Toxicity Study in Rodents)         sodium nitrite (7632-00-0)         NOEL, male, oral, rat       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: ether:         sodium N-lauroyIsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       Not classified	disodium metasilicate (6834-92-0)	
NOEL, male, oral, rat       10 mg/kg bw/day (2 years)         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: OPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)         LOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       : Not classified	NOAEL (oral, rat, 90 days)	
glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         NOAEL (oral, rat, 90 days)       300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: other:         sodium N-lauroylsarcosinate (137-16-6)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       : Not classified	sodium nitrite (7632-00-0)	
NOAEL (oral, rat, 90 days)300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:sodium N-lauroylsarcosinate (137-16-6)LOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NoAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:Aspiration hazard: Not classified	NOEL, male, oral, rat	10 mg/kg bw/day (2 years)
Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:sodium N-lauroylsarcosinate (137-16-6)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:LOAEL (oral, rat, 90 days)100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:NOAEL (oral, rat, 90 days)250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:Aspiration hazard: Not classified	glutamic acid, N,N-diacetic acid, tetrasodiu	m salt (51981-21-6)
LOAEL (oral, rat, 90 days)       100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       : Not classified	NOAEL (oral, rat, 90 days)	Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA
Day Oral Toxicity Study in Rodents), Guideline: other:         NOAEL (oral, rat, 90 days)         250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       : Not classified	sodium N-lauroylsarcosinate (137-16-6)	
NOAEL (oral, rat, 90 days)       250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:         Aspiration hazard       : Not classified	LOAEL (oral, rat, 90 days)	
Day Oral Toxicity Study in Rodents), Guideline: other:           Aspiration hazard         : Not classified		Day Oral Toxicity Study in Rodents), Guideline: other:
	NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90 Day Oral Toxicity Study in Rodents), Guideline: other:
Additional information : Based on available data, the classification criteria are not met	Aspiration hazard	: Not classified
	Additional information	: Based on available data, the classification criteria are not met
	ymptoms	

#### SECTION 12: Ecological information

# 12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Hazardous to the aquatic environment, short-term (acute) : Not classified Hazardous to the aquatic environment, long-term (chronic) : Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LC60 - Fish [2]         210 mg/l Test organisms (species): Zebra fish (Danio rerio)           EC50 - Crustacea [1]         1700 mg/l Test organisms (species): Daphnia magna           EC50 72h - Algae [1]         207 mg/l Test organisms (species): Desmodesmus subsplcatus (previous name: Scenedesmus subspicatus)           EC50 algae         > 345.4 mg/l           sodium nitrite (7632-00-0)         0.54 - 26.3 mg/l Test organisms (species): Donorhynchus mykiss (previous name: Salmo gairdner)           EC50 - Crustacea [1]         0.54 - 26.3 mg/l Test organisms (species): Daphnia magna           EC50 - Crustacea [1]         15.4 mg/l Test organisms (species): Daphnia magna           EC50 - Crustacea [1]         > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           NOEC chronic crustacea         9.86 mg/l Penaeus monodon (jumbo tiger prawns)           EC50, nicroorganisms         421 mg/l (48 Hours)           NOEC, fish, Chronic         6.61 mg/l (31 days)           sodium carbonate (497-19-8)         200 - 227 mg/l Test organisms (species): Ceriodaphnia sp.           EC50 - Crustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss) <th>disodium metasilicate (6834-92-0)</th> <th></th>	disodium metasilicate (6834-92-0)		
EC60 - Crustacea [1]1700 mg/l Test organisms (species): Dashnodesmus subspicatus (previous name: Scenedesmus subspicatus)EC60 72h - Algae [1]207 mg/l Test organisms (species): Dashnodesmus subspicatus (previous name: Scenedesmus subspicatus)EC60 algae> 345.4 mg/lsodium nitrite (7632-00-0)0.54 - 26.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdnen)EC60 - Fish [1]0.54 - 26.3 mg/l Test organisms (species): Dashnodesmus subspicatus (previous name: Salmo gairdnen)EC60 - Crustacea [1]15.4 mg/l Test organisms (species): Dashnodesmus subspicatus (previous name: Scenedesmus subspicatus)NOEC chronic crustacea9.86 mg/l Penaeus mondorn (umbo tiger prawns)EC60 nicroorganisms421 mg/l (48 Hours)NOEC, fish, Chronic6.61 mg/l (31 days)sodium carbonate (497-19-8)200 - 227 mg/l Test organisms (species): Lepomis macrochirusEC60 - Crustacea [1]200 - 227 mg/l Test organisms (species): Ceriodaphnia sp.EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Grustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC60 - Crustacea [1]> 100 mg/l Test orga	LC50 - Fish [1]	2320 mg/l Test organisms (species): Western mosquitofish (Gambusia affinis)	
CS0 72h - Algae [1]       207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         ErC50 algae       > 345 4 mg/l         sodium nitrito (7632-00-0)       0.64 - 26.3 mg/l Test organisms (species): Oncortynchus mykiss (previous name: Salmo galrdnert)         LC50 - Fish [1]       0.64 - 26.3 mg/l Test organisms (species): Daphnia magna         EC50 - Crustacea [1]       15.4 mg/l Test organisms (species): Daphnia magna         EC50 r2h - Algae [1]       > 100 mg/l Test organisms (species): Daphnia magna         EC50 r2h - Algae [1]       > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         NOEC chronic crustacea       9.86 mg/l Penaeus monodon (jumbo tiger pravns)         EC50 r2h - Algae [1]       > 000 mg/l Test organisms (species): Lepomis macrochirus         Sodium arzhonate (497-19-8)       200 - e227 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 r2h - Algae [1]       > 1000 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 r2h - Algae [1]       > 1000 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 r2h - Algae [1]       > 1000 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 r2h - Algae [1]       > 1000 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 r2h - Gustacea [1]       > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)         EC50 r2h - Gustacea [1]       > 1000 mg/l	LC50 - Fish [2]	210 mg/l Test organisms (species): Zebra fish (Danio rerio)	
Scenedesmus subspicatus)ErC50 algae> 345.4 mg/lsodium nitrite (7632-00-0)0.54 - 26.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Fish [1]0.54 - 26.3 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Salmo gairdneri)EC50 - Crustacea [1]15.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)NOEC chronic crustacea9.86 mg/l Penaeus monodon (jumb tiger prawns)EC50, nicroorganisms421 mg/l (48 Hours)NOEC, fish, Chronic6.61 mg/l (31 days)sodium carbonate (497-19-8)200 - 227 mg/l Test organisms (species): Ceriodsphnia sp.EC50 - Fish [1]300 mg/l Test organisms (species): Ceriodsphnia sp.EC50 - Crustacea [1]> 1000 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium suphonate (1300-72-7)2100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)	EC50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna	
Continue         Continue           CS0 - Fish [1]         0.54 - 26.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)           CCS0 - Fish [1]         15.4 mg/l Test organisms (species): Daphnia magna           ECS0 72h - Algae [1]         > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)           NOEC chronic crustacea         9.86 mg/l Penaeus monodon (jumbo tiger pravns)           ECS0, microorganisms         421 mg/l (48 Hours)           Sodium carbonate (497-19-8)	EC50 72h - Algae [1]		
C50 - Fish [1]0.54 - 26.3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)C50 - Crustacea [1]15.4 mg/l Test organisms (species): Daphnia magnaEC60 72h - Algae [1]> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)NOEC chronic crustacea9.86 mg/l Penaeus monodon (jumbo tiger prawns)EC50 microorganisms421 mg/l (48 Hours)Scenedesmus subspicatus)6.61 mg/l (31 days)sodium carbonate (497-19-8)200 mg/l Test organisms (species): Lepomis macrochirusEC50 - Crustacea [1]200 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]200 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]> 1000 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]> 1000 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium xylene sulphonate (1300-72-7)> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 1000 mg/lEC50 - Grustacea [1]> 1000 mg/lSodium sulphamidate (13845-18-6)Sodium sulphamidate (13845-18-6)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [1]> 100	ErC50 algae	> 345.4 mg/l	
gairdneri)EC50 - Crustacea [1]15.4 mg/l Test organisms (species): Daphnia magnaEC50 72h - Algae [1]> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)NOEC chronic crustacea9.8 mg/l Penaeus mondon (jumbo tiger prawns)EC50, microorganisms421 mg/l (48 Hours)Sodium carbonate (497-19-8)6.61 mg/l (31 days)Scolum carbonate (497-19-8)300 mg/l Test organisms (species): Lepomis macrochirusEC50 - Crustacea [1]300 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]200 - 227 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Grustacea [1]> 100 mg/lEC50 - Fish [1]> 200 mg/lEC50 - Fish [1]> 100 mg/lEC50 - Fish [2]> 252 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC5	sodium nitrite (7632-00-0)		
CG50 72h - Algae [1]       > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)         NOEC chronic crustacea       9.86 mg/l Penaeus monodon (jumbo tiger prawns)         EC50, microorganisms       421 mg/l (48 Hours)         NOEC, fish, Chronic       6.61 mg/l (31 days)         sodium carbonate (497-19-8)	LC50 - Fish [1]		
Scenedesmus subspicatus)           NOEC chronic crustacea         9.86 mg/l Penaeus monodon (jumbo tiger prawns)           EC50, microorganisms         421 mg/l (48 Hours)           NOEC, fish, Chronic         6.61 mg/l (31 days)           sodium carbonate (497-19-8)         300 mg/l Test organisms (species): Lepomis macrochirus           EC50 - Fish [1]         300 mg/l Test organisms (species): Ceriodaphnia sp.           EC50 - Crustacea [1]         200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.           EC50 72h - Algae [1]         > 100 mg/l Practically non toxic to algae, but extreme pH can effect vigour           sodium xylene sulphonate (1300-72-7)            LC50 - Fish [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Grustacea [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Fish [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Grustacea [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Fish [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)           LC50 - Fish [1]         > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) <tr< td=""><td>EC50 - Crustacea [1]</td><td>15.4 mg/l Test organisms (species): Daphnia magna</td></tr<>	EC50 - Crustacea [1]	15.4 mg/l Test organisms (species): Daphnia magna	
ECG0, microorganisms421 mg/l (48 Hours)NOEC, fish, Chronic6.61 mg/l (31 days)sodium carbonate (497-19-8)300 mg/l Test organisms (species): Leponis macrochirusECG0 - Fish [1]300 mg/l Test organisms (species): Ceriodaphnia sp.ECG0 - Crustacea [1]200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.ECG0 - Crustacea [1]> 100 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium xylene sulphonate (1300-72-7).ECG0 - Crustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)ECG0 - Crustacea [1]> 1000 mg/lECG0 - Crustacea [1]> 1000 mg/lECG0 algae310 mg/lNOEC chronic algae40 mg/lsodium sulphamidate (13845-18-6)LCG0 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)ECG0 - Crustacea [1]> 100 mg/lsodium adiptate (7486-38-6)LCG0 - Fish [1]> 100 mg/lLCG0 - Fish [2]> 95.26 mg/lLCG0 - Fish [2]> 95.26 mg/lLCG0 - Fish [2]> 100 mg/lECG0 - Crustacea [1]> 100 mg/lLCG0 - Fish [2]> 100 mg/lECG0 - Fish [2]> 100 mg/lECG0 - Fish [2]> 100 mg/lECG0 - Fish [2]> 100 mg/l> 100 mg/l Test orga	EC50 72h - Algae [1]		
NOEC, fish, Chronic6.61 mg/l (31 days)sodium carbonate (497-19-8)300 mg/l Test organisms (species): Lepomis macrochirusLC50 - Fish [1]300 mg/l Test organisms (species): Ceriodaphnia sp.EC50 - Crustacea [1]> 100 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium xylene sulphonate (1300-72-7)> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 1000 mg/lEC50 - Crustacea [1]> 1000 mg/lEC50 - Crustacea [1]> 1000 mg/lEC50 - Grustacea [1]> 1000 mg/lEC50 - Grustacea [1]> 1000 mg/lSodium sulphamidate (13845-18-6)40 mg/lLC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [1]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Daphnia magna	NOEC chronic crustacea	9.86 mg/l Penaeus monodon (jumbo tiger prawns)	
Sodium carbonate (497-19-8)         LC50 - Fish [1]       300 mg/l Test organisms (species): Lepomis macrochirus         EC50 - Crustacea [1]       200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.         EC50 72h - Algae [1]       > 100 mg/l Practically non toxic to algae, but extreme pH can effect vigour         Sodium xylene sulphonate (1300-72-7)	EC50, microorganisms	421 mg/l (48 Hours)	
LC50 - Fish [1]         300 mg/l Test organisms (species): Lepomis macrochirus           EC50 - Crustacea [1]         200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.           EC50 72h - Algae [1]         > 100 mg/l Practically non toxic to algae, but extreme pH can effect vigour           sodium xylene sulphonate (1300-72-7)            LC50 - Fish [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l           EC50 algae         310 mg/l           EC50 - Grustacea [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Grustacea [1]         > 1000 mg/l           EC50 - Grustacea [1]         > 100 mg/l           Sodium sulphamidate (13845-18-6)            LC50 - Fish [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Fish [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Fish [1]         > 100 mg/l           Gloodium adipate (7486-38-6)            LC50 - Fish [1]         230 mg/l           glutamic acid, N,N-diacetic acid, tetrasodium sett (51981-21-6)            LC50 - Fish [1]         > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) <td< td=""><td>NOEC, fish, Chronic</td><td>6.61 mg/l (31 days)</td></td<>	NOEC, fish, Chronic	6.61 mg/l (31 days)	
C50 - Crustacea [1]200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.EC50 72h - Algae [1]> 100 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium xylene sulphonate (1300-72-7)>LC50 - Fish [1]> 1000 mg/l Practically non toxic to algae, but extreme pH can effect vigourEC50 - Crustacea [1]> 1000 mg/l Practically non toxic to algae, but extreme pH can effect vigourEC50 - Crustacea [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 algae310 mg/lSodium sulphamidate (13845-18-6)40 mg/lLC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/lLC50 - Fish [1]> 100 mg/lLC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 100 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)	sodium carbonate (497-19-8)		
EC50 72h - Algae [1]> 100 mg/l Practically non toxic to algae, but extreme pH can effect vigoursodium xylene sulphonate (1300-72-7)>LC50 - Fish [1]> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 1000 mg/lEC50 algae310 mg/lNOEC chronic algae40 mg/lsodium sulphamidate (13845-18-6)>LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Crustacea [1]> 100 mg/l Test organisms (species): Daphnia magna	LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus	
sodium xylene sulphonate (1300-72-7)         LC50 - Fish [1]       > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)         EC50 - Crustacea [1]       > 1000 mg/l         EC50 algae       310 mg/l         NOEC chronic algae       40 mg/l         sodium sulphamidate (13845-18-6)	EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.	
LC50 - Fish [1]         > 1000 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 1000 mg/l           ErC50 algae         310 mg/l           NOEC chronic algae         40 mg/l           sodium sulphamidate (13845-18-6)            LC50 - Fish [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 100 mg/l Rainbow trout (Oncorhynchus mykiss)           EC50 - Crustacea [1]         > 100 mg/l           disodium adipate (7486-38-6)            LC50 - Fish [1]         230 mg/l           glutamic acid, N,N-diacetic acid, tetrasodium sult (51981-21-6)            LC50 - Fish [1]         > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)           LC50 - Fish [2]         > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)           LC50 - Fish [2]         > 95.26 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)           EC50 - Crustacea [1]         > 100 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)	EC50 72h - Algae [1]	> 100 mg/l Practically non toxic to algae, but extreme pH can effect vigour	
EC50 - Crustacea [1]> 1000 mg/lEC50 algae310 mg/lNOEC chronic algae40 mg/lsodium sulphamidate (13845-18-6)	sodium xylene sulphonate (1300-72-7)		
ErC50 algae310 mg/lNOEC chronic algae40 mg/lsodium sulphamidate (13845-18-6)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/ldisodium adipate (7486-38-6)LC50 - Fish [1]230 mg/lglutamic acid, N,N-diacetic acid, tetrasodium set (51981-21-6)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)	LC50 - Fish [1]	> 1000 mg/l Rainbow trout (Oncorhynchus mykiss)	
NOEC chronic algae40 mg/lsodium sulphamidate (13845-18-6)> 100 mg/l Rainbow trout (Oncorhynchus mykiss)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/ldisodium adipate (7486-38-6)230 mg/lLC50 - Fish [1]230 mg/lglutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	EC50 - Crustacea [1]	> 1000 mg/l	
sodium sulphamidate (13845-18-6)LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/ldisodium adipate (7486-38-6)230 mg/lLC50 - Fish [1]230 mg/lglutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Daphnia magna	ErC50 algae	310 mg/l	
LC50 - Fish [1]> 100 mg/l Rainbow trout (Oncorhynchus mykiss)EC50 - Crustacea [1]> 100 mg/ldisodium adipate (7486-38-6)230 mg/lLC50 - Fish [1]230 mg/lglutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)200 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Dncorhynchus mykiss (previous name: Salmo gairdneri)	NOEC chronic algae	40 mg/l	
EC50 - Crustacea [1]       > 100 mg/l         disodium adipate (7486-38-6)       230 mg/l         LC50 - Fish [1]       230 mg/l         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)       >         LC50 - Fish [1]       > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         LC50 - Fish [2]       > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         EC50 - Crustacea [1]       > 100 mg/l Test organisms (species): Daphnia magna	sodium sulphamidate (13845-18-6)		
disodium adipate (7486-38-6)         LC50 - Fish [1]       230 mg/l         glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         LC50 - Fish [1]       > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         LC50 - Fish [2]       > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         EC50 - Crustacea [1]       > 100 mg/l Test organisms (species): Daphnia magna	LC50 - Fish [1]	> 100 mg/l Rainbow trout (Oncorhynchus mykiss)	
LC50 - Fish [1]230 mg/lglutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)LC50 - Fish [1]> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)LC50 - Fish [2]> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)EC50 - Crustacea [1]> 100 mg/l Test organisms (species): Daphnia magna	EC50 - Crustacea [1]	> 100 mg/l	
glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)         LC50 - Fish [1]       > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         LC50 - Fish [2]       > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         EC50 - Crustacea [1]       > 100 mg/l Test organisms (species): Daphnia magna	disodium adipate (7486-38-6)		
LC50 - Fish [1]       > 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         LC50 - Fish [2]       > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         EC50 - Crustacea [1]       > 100 mg/l Test organisms (species): Daphnia magna	LC50 - Fish [1]	230 mg/l	
gairdneri)         LC50 - Fish [2]       > 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)         EC50 - Crustacea [1]       > 100 mg/l Test organisms (species): Daphnia magna	glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)		
gairdneri)     gairdneri)       EC50 - Crustacea [1]     > 100 mg/l Test organisms (species): Daphnia magna	LC50 - Fish [1]		
	LC50 - Fish [2]		
	EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
2000 - Grustacea [2] > 90.20 mg/r rest organisms (species): Daphnia magna	EC50 - Crustacea [2]	> 95.26 mg/l Test organisms (species): Daphnia magna	
LOEC (chronic) > 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	LOEC (chronic)	> 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic) 224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d'	NOEC (chronic)	224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d'	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium N-lauroylsarcosinate (137-16-6)			
LC50 - Fish [1]	107 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
LC50 - Fish [2]	32.1 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	29.7 mg/l Test organisms (species): Daphnia magna		
EC50 - Crustacea [2]	8.91 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	79 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
EC50 72h - Algae [2]	39 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)		
NOEC chronic algae	9.2 mg/l		
12.2. Persistence and degradability			
Rapid Cleanse (New Chelating Agent) WP 192	0		
Persistence and degradability	Not established.		
disodium metasilicate (6834-92-0)			
Persistence and degradability	The product is not biodegradable.		
sodium nitrite (7632-00-0)	·		
Persistence and degradability	Not established.		
sodium carbonate (497-19-8)			
Persistence and degradability	Substance will dissociate upon contact with water, the only effect is the pH effect, therefore after passing through the sewage treatment plant exposure is considered negligible and with no risk.		
aryl ether phosphate ester, potassium salt (72	aryl ether phosphate ester, potassium salt (72283-31-9)		
Persistence and degradability	Not established.		
sodium xylene sulphonate (1300-72-7)	I.		
Persistence and degradability	Readily biodegradable.		
sodium N-lauroylsarcosinate (137-16-6)			
Persistence and degradability	Readily biodegradable.		
12.3. Bioaccumulative potential			
Rapid Cleanse (New Chelating Agent) WP 192	0		
Bioaccumulative potential	Not established.		
disodium metasilicate (6834-92-0)			
Bioaccumulative potential	No bioaccumulation.		
sodium nitrite (7632-00-0)			
Bioaccumulative potential	Not established.		
sodium carbonate (497-19-8)	1		
Bioaccumulative potential	No bioaccumulation.		
aryl ether phosphate ester, potassium salt (72	283-31-9)		
Bioaccumulative potential	Not established.		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium xylene sulphonate (1300-72-7)	
Bioaccumulative potential	Not established.
sodium N-lauroylsarcosinate (137-16-6)	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
sodium carbonate (497-19-8)	
Ecology - soil	Soluble material/quickly disperses in water.
12.5. Results of PBT and vPvB assessment	
Component	
sodium carbonate (497-19-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium nitrite (7632-00-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium N-lauroylsarcosinate (137-16-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
disodium metasilicate (6834-92-0)	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)
sodium xylene sulphonate (1300-72-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
12.6. Other adverse effects	
Additional information	Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
Ecology - waste materials	: Avoid release to the environment.

#### SECTION 14: Transport information

IMDG	ΙΑΤΑ	ADN	RID
	·		
Not regulated	Not regulated	Not regulated	Not regulated
ame	·		
Not regulated	Not regulated	Not regulated	Not regulated
ss(es)			
Not regulated	Not regulated	Not regulated	Not regulated
	·		
Not regulated	Not regulated	Not regulated	Not regulated
	Not regulated s(es) Not regulated	Not regulated Not regulated  S(es)  Not regulated Not regulated	Not regulated     Not regulated     Not regulated       Not regulated     Not regulated     Not regulated

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				
14.6 Special proceptions for user				

#### Overland transport

Not regulated

#### Transport by sea Not regulated

Air transport Not regulated

## Inland waterway transport

Not regulated

#### Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:	
EC50	Median effective concentration
EC-No.	European Community number
IARC	International Agency for Research on Cancer
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
РВТ	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.