

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS Ref.: Periodic review of SDS 07/25/2022
Date of issue: 6/30/2014 Revision date: 7/25/2019 Supersedes: 3/20/2017 Version: 2.2

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Towel Rail WP 0911

Product code : WP 0911

Type of product : Mixture containing mainly :Propylene glycol, Corrosion inhibitors

Product group Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

Use of the substance/mixture : Heat transfer, corrosion inhibitor

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd

9 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset

BH21 6FA - United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS: info@wessexchemicalfactors.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)

+44 (0) 7973629367 (Out of hours emergency number)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH-statements** : EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-

2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane-1,2-diol (Main constituent)	(CAS-No.) 57-55-6 (EC-No.) 200-338-0 (REACH-no) 01-2119456809-23- XXXX	>= 85	Not classified
ethylene/propylene oxide copolymer	(CAS-No.) 58205-99-5	< 0.1	Not classified
1,6-Dihydroxy-2,5-dioxahexane	(CAS-No.) 3586-55-8 (EC-No.) 222-720-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanediol; ethylene glycol	(CAS-No.) 107-21-1 (EC-No.) 203-473-3 (EC Index-No.) 603-027-00-1 (REACH-no) 01-2119456816-28- XXXX	< 0.1	Acute Tox. 4 (Oral), H302 STOT RE 2, H373
formaldehyde% (Note B)(Note D)	(CAS-No.) 50-00-0 (EC-No.) 200-001-8 (EC Index-No.) 605-001-00-5 (REACH-no) 01-2119488953-20- XXXX	< 0.1	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
benzotriazole	(CAS-No.) 95-14-7 (EC-No.) 202-394-1	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Specific concentration limits:			
Name	Product identifier	Specific con	centration limits
formaldehyde%	(CAS-No.) 50-00-0 (EC-No.) 200-001-8 (EC Index-No.) 605-001-00-5 (REACH-no) 01-2119488953-20- XXXX	(5 = <c 100)<br="" <="">(5 =<c 25)="" <="" e<br="">(5 =<c 25)="" <="" s<="" td=""><td>0) Skin Sens. 1, H317 STOT SE 3, H335 Eye Irrit. 2, H319 Skin Irrit. 2, H315 I) Skin Corr. 1B, H314</td></c></c></c>	0) Skin Sens. 1, H317 STOT SE 3, H335 Eye Irrit. 2, H319 Skin Irrit. 2, H315 I) Skin Corr. 1B, H314
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	(0.06 = <c 0.<br="" <="">(0.06 =<c 0.<="" <="" td=""><td>: 100) Skin Sens. 1, H317 6) Eye Irrit. 2, H319 6) Skin Irrit. 2, H315 0) Skin Corr. 1B, H314</td></c></c>	: 100) Skin Sens. 1, H317 6) Eye Irrit. 2, H319 6) Skin Irrit. 2, H315 0) Skin Corr. 1B, H314

Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H-statements: see section 16

Symptoms/effects after ingestion

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects, I	both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: mild eye irritation.

: Ingestion may cause nausea and vomiting.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Sand. Alcohol resistant foam. Water spray. Dry powder. Foam. Carbon dioxide. : Do not use a heavy water stream. Use of heavy stream of water may spread fire. Unsuitable extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

: The product is not easily ignited. Fire hazard Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

## 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** 

: Ventilate spillage area. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment

Other information

: Stop leak without risks if possible.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Flush contaminated areas with plenty of water. Store away from other materials.

: Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment. Provide

good ventilation in process area to prevent formation of vapour.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use. : Strong bases. Strong acids. Strong oxidizing agents.

Incompatible products : Sources of ignition. Direct sunlight.

: ≤ 40 °C

Incompatible materials

Storage temperature 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

United Kingdom - Occupational Exposure Limits		
	Local name	Propan-2-ol
	WEL TWA (mg/m³)	999 mg/m³
	WEL TWA (ppm)	400 ppm

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

WEL STEL (ngm*)         1260 ngm*           Regulatory reference         E1402005 (Third edition, 2018). HSE            FORDAM (STANDAM	according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
Regulatory reference         EH402005 (Third edition, 2018). HSE           propane-1,2-diol (57-56-8)           United Kingdom - Occupational Exposure Limits           Vect TWA (mg/m²)         Propane-1,2-diol           WEL TWA (mg/m²)         150 ppm total vapour and particulates           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Formaldehyde         ************************************	WEL STEL (mg/m³)	1250 mg/m³	
	WEL STEL (ppm)	500 ppm	
United Kingdom - Occupational Exposure Limits         Propane 1,2-diol           WEL TWA (mg/m²)         10 mg/m² particulates 474 mg/m² total vapour and particulates           Regulatory reference         154 h02/2005 (Third edition, 2018). HSE           Formaldehyde% (50-00-0)           EU - Occupational Exposure Limits           Local name         Formaldehyde           DELY TWA (ng/m²)         0.37 mg/m²           IOELY TWA (pgm)         0.3 ppm           IOELY TWA (pgm)         0.74 mg/m²           IOELY STEL (mg/m²)         2.5 mg/m²           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (mg/m²)         2.5 mg/m²           WEL STEL (pgm)         2.5 mg/m²           WEL STEL (pgm/m²)         2.5 mg/m²           VEL STEL (pgm/m²)         2.5 mg/m²           IOELY TWA (mg/m²)         2.7 mg/m²           IOELY TWA (mg/m²)         2.7 mg/m²           IOELY TWA (mg/m²)         2.7 mg/m² <td>Regulatory reference</td> <td>EH40/2005 (Third edition, 2018). HSE</td>	Regulatory reference	EH40/2005 (Third edition, 2018). HSE	
Local name         Propane-1,2-diol           WEL TWA (mg/m²)         10 mg/m² particulates           WEL TWA (pgm)         150 ppm total vapour and particulates           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Formaldehyde% (50-00-0)         Total vapour and particulates           Total Agenta (Mg/m²)         Formaldehyde           LOCAU TWA (mg/m²)         0.3 mg/m²           LOELY TWA (mg/m²)         0.3 mg/m²           LOELY TWA (mg/m²)         0.4 mg/m²           LOELY TWA (pgm)         0.5 ppm           Notes         Demal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits         Directive (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits         EMEL TWA (mg/m²)           United Kingdom - Occupational Exposure Limits         EMEL TWA (mg/m²)           WEL STEL (pgm)         2 ppm           WEL TWA (mg/m²)         2 ppm           WEL STEL (pgm/m²)         2 ppm           VEL TWA (mg/m²)         2 ppm           VEL TWA (mg/m²)         2 ppm           VEL Occupational Exposure Limits         EMEL (mg/m²)           LOCAU TWA (mg/m²)         20 ppm	propane-1,2-diol (57-55-6)		
WEL TWA (mg/m²)         10 mg/m² particulates           WEL TWA (ppm)         150 pm total vapour and particulates           Regulatory reference         150 pm total vapour and particulates           EW-Occupational Exposure Limits           Local name         6 romaldehyde           IOELY TWA (mg/m²)         0.37 mg/m²           IOELY TWA (ppm)         0.59 pm           OELY STEL (mg/m²)         0.59 pm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         6 romaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (ppm)         2 ppm           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m²)         2 ppm           WEL STEL (mg/m²)         2 ppm           Regulatory reference         Bridylene glycol (107-21-1)           EU - Occupational Exposure Limits           Local name         Ethylene glycol           Local name         Ethylene glycol           Cocupational Exposure Limits         Expormal           Local name         Ethylene glycol           Local name         Clychylene glycol </td <td>United Kingdom - Occupational Exposure Limits</td> <td></td>	United Kingdom - Occupational Exposure Limits		
Met TWA (ppm)         474 mg/mg² hotal vapour and particulates           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Formaldehyde% (50-00-0)           EU - Occupational Exposure Limits           Local name         Formaldehyde           OSELV TWA (mg/m²)         0.37 mg/m²           OSELV TWA (mg/m²)         0.74 mg/m²           OSELV TRE (mg/m²)         0.74 mg/m²           OSELV STEL (mg/m²)         0.74 mg/m²           OSELV STEL (pg/m²)         0.74 mg/m²           OSELV STEL (pg/m²)         0.74 mg/m²           OSELV STEL (pg/m²)         0.74 mg/m²           OSEMA (singdom - Occupational Exposure Limits         0.74 mg/m²           Oscal name         6 Formaldehyde           WEL TWA (pg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           Regulatory reference         1.4402005 (Third edition, 2018). HSE           EU-Cocupational Exposure Limits           EU-Cocupational Exposure Limits           EU-Superional Exposure Limits           EU-Superional Exposure Limits           EU-VIWA (mg/m²)         5.2 mg/m²           Guerry Mg/m²	Local name	Propane-1,2-diol	
Regulatory reference         EH-02coupational Exposure Limits           Formaldehyde           LOcal name         Formaldehyde           DOELV TWA (mg/m²)         0.37 mg/m²           LOELV TWA (mg/m²)         0.3 ppm           LOELV STEL (mg/m²)         0.4 mg/m²           LOELV STEL (pgm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (mg/m²)         2.5 mg/m²           WEL STEL (pgm)         2.5 mg/m²           USCUS TIVA (mg/m²)         2.5 mg/m²           USCUS TIVA (mg/m²)         2.5 mg/m²           LOELV TWA (mg/m²)         3.0 mg/m²           LOELLY STEL (mg/m²)         4.0 ppm           LOELV STEL (mg/m²)         4.0 ppm           LOELV STEL (mg/m²)         4.0 ppm           LOELV STEL (mg/m²)	WEL TWA (mg/m³)		
Formaldehyde% (50-00-0)           EU - Occupational Exposure Limits           LOEAI name         Formaldehyde           OELV TWA (mg/m²)         0.37 mg/m²           IOELV STEL (mg/m²)         0.74 mg/m³           IOELV STEL (ppm)         0.6 ppm           Notes         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (mg/m²)         2.5 mg/m²           WEL STEL (ppm)         2.5 mg/m²           WEL STEL (ppm)         2.9 pm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Cetturactional Exposure Limits           LO- Occupational Exposure Limits           LOE - Occupational Exposure Limits           LOELV TWA (mg/m²)         2.0 ppm           LOELV TWA (mg/m²)         2.0 ppm           LOELV STEL (ppm)         4.0 ppm           Notes         Skin           Regulatory reference         CoMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits         Compan** open compan**	WEL TWA (ppm)	150 ppm total vapour and particulates	
EU - Occupational Exposure Limits           Local name         Formaldehyde           LOELY TWA (mg/m²)         0.37 mg/m²           LOELY TWA (pgm²)         0.74 mg/m²           LOELY STEL (ng/m²)         0.74 mg/m²           LOELY STEL (ppm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits         Commander           Local name         Formaldehyde           WEL TWA (ng/m²)         2.5 mg/m²           WEL TWA (ppm)         2.5 mg/m²           WEL STEL (ng/m²)         2.5 mg/m²           WEL STEL (ppm)         2.9 pm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Etherogle of (107-21-1)           EU - Occupational Exposure Limits           LOCAD (Local Iname         Ethylene glycol           10ELY TWA (ng/m²)         20 ppm           10ELY TWA (ppm)         20 ppm           10ELY STEL (ppm)         40 ppm           Notes         Six           Regulatory reference         Commission Directive 2000/39/EC           United Kingdom - Occupational Exposure Limits         Commission Direct	Regulatory reference	EH40/2005 (Third edition, 2018). HSE	
Local name         Formaldehyde           LOELV TWA (mg/m²)         0.37 mg/m²           LOELV TWA (ppm)         0.3 ppm           LOELV STEL (mg/m²)         0.74 mg/m²           LOELV STEL (ppm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (ppm)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (ppm)         2.ppm           Regulatory reference         EH0/2005 (Third edition, 2018). HSE           United Support (107-21-1)           EU - Occupational Exposure Limits         Cocal name           LOCAI name         Ethylene glycol           LOELV TWA (mg/m²)         2.0 ppm           LOELV TWA (mg/m²)         2.0 ppm           LOELV STEL (mg/m²)         1.04 mg/m²           LOELV STEL (mg/m²)         0.0 ppm           LOELV STEL (mg/m²)         0.0 mg/m² particulate           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure L	formaldehyde% (50-00-0)		
IOELV TWA (ng/m³)         0.37 mg/m³           IOELV TWA (ppm)         0.3 ppm           IOELV STEL (mg/m²)         0.74 mg/m³           IOELV STEL (pmg/m²)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (ppm)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.9 pm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           EDI-Occupational Exposure Limits           EU-Occupational Exposure Limits           EU-Occupational Exposure Limits         Ethylene glycol           IOELV TWA (mg/m²)         52 mg/m²           IOELV STEL (mg/m²)         104 mg/m²           IOELV STEL (mg/m²)         40 ppm           IOELV STEL (mg/m²)         60 MMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m²)	EU - Occupational Exposure Limits		
IOELV TWA (ppm)         0.3 ppm           IOELV STEL (mg/m²)         0.74 mg/m²           IOELV STEL (ppm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (ppm)         2 ppm           Regulatory reference         EH0/2005 (Third edition, 2018). HSE           ethanediol; ethylene glycol (107-21-1)           EU-Occupational Exposure Limits           EU-Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m²)         52 mg/m²           IOELV TWA (mg/m²)         104 mg/m²           IOELV STEL (ppm)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m²)         20 ppm vapour      <	Local name	Formaldehyde	
IOELV STEL (ng/m²)         0.74 mg/m²           IOELV STEL (ppm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits         Formal dehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2 ppm           WEL STEL (ppm)         2 ppm           VEL VEL (ppm)         52 mg/m²           Local name         Ethylene glycol           LOELV TWA (ppm)         20 ppm           LOELV STEL (mg/m²)         40 ppm           Notes         Ski           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m²)         20 ppm vapour <td>IOELV TWA (mg/m³)</td> <td>0.37 mg/m³</td>	IOELV TWA (mg/m³)	0.37 mg/m³	
IOELV STEL (ppm)         0.6 ppm           Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m³)         2.5 mg/m³           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           ethanediol; ethylene glycol (107-21-1)           EU - Occupational Exposure Limits           Local name         Ethylene glycol           OELV TWA (mg/m³)         20 ppm           OELV TWA (ppm)         20 ppm           OELV STEL (mg/m³)         104 mg/m³           OELV STEL (mg/m³)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m³)         10 mg/m³ particulate 52 mg/m³ vapour           WEL TWA (ppm)         20 ppm vapour           WEL STEL (mg/m³)         104 mg/m² vapour	IOELV TWA (ppm)	0.3 ppm	
Notes         Dermal sensitisation           Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m³)         2.5 mg/m³           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (mg/m³)         2.5 mg/m³           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           EU-Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m³)         52 mg/m³           IOELV TWA (ppm)         20 ppm           IOELV STEL (mg/m³)         104 mg/m³           IOELV STEL (mg/m³)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m³)         20 ppm yapour           WEL TWA (ppm)         20 ppm yapour           WEL TWA (ppm)         20 ppm yapour           WEL STEL (mg/m³)         40 ppm vapour           W	IOELV STEL (mg/m³)	0.74 mg/m³	
Regulatory reference         DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)           United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (mg/m²)         2.5 mg/m²           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           Ethacia (ethylene glycol (107-21-1)           EU - Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m²)         52 mg/m²           IOELV TWA (ppm)         20 ppm           IOELV TWA (ppm)         40 mg/m²           IOELV STEL (mg/m²)         104 mg/m²           IOELV STEL (ppm)         40 ppm           Notes         Skin           Regulatory reference         Commission DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           United Kingdom - Occupational Exposure Limits         Export may be a public m	IOELV STEL (ppm)	0.6 ppm	
United Kingdom - Occupational Exposure Limits           Local name         Formaldehyde           WEL TWA (mg/m³)         2.5 mg/m³           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           ethanediol; ethylene glycol (107-21-1)           EU - Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m³)         52 mg/m³           IOELV TWA (mg/m³)         20 ppm           IOELV TWA (pmm)         20 ppm           IOELV STEL (mg/m³)         104 mg/m³           IOELV STEL (ppm)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m³)         10 mg/m³ particulate \$2 mg/m³ vapour           WEL TWA (ppm)         20 ppm vapour           WEL STEL (mg/m³)         40 ppm vapour           WEL STEL (mg/m³)         40 ppm vapour           WEL STEL (ppm)         40 ppm vapour           WEL STEL (ppm)	Notes	Dermal sensitisation	
Local name       Formaldehyde         WEL TWA (mg/m²)       2.5 mg/m²         WEL TWA (ppm)       2 ppm         WEL STEL (mg/m²)       2.5 mg/m²         WEL STEL (ppm)       2 ppm         Regulatory reference       EH40/2005 (Third edition, 2018). HSE         ethanediol; ethylene glycol (107-21-1)         EU - Occupational Exposure Limits         Local name       Ethylene glycol         IOELV TWA (mg/m²)       52 mg/m²         IOELV TWA (mg/m²)       20 ppm         IOELV TWA (pmm)       20 ppm         IOELV STEL (mg/m²)       104 mg/m²         IOELV STEL (ppm)       40 ppm         Notes       Skin         Regulatory reference       COMMISSION DIRECTIVE 2000/39/EC         United Kingdom - Occupational Exposure Limits         Local name       Ethane-1,2-diol         WEL TWA (mg/m²)       10 mg/m² particulate 52 mg/m² vapour         WEL TWA (ppm)       20 ppm vapour         WEL STEL (mg/m²)       40 ppm vapour         WEL STEL (mg/m²)       40 ppm vapour         Remark (WEL)       5k (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Regulatory reference	DIRECTIVE (EU) 2019/983 (amending Directive 2004/37/EC)	
WEL TWA (ng/m³)         2.5 mg/m³           WEL TWA (ppm)         2 ppm           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           ethanediol; ethylene glycol (107-21-1)           EU - Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m³)         52 mg/m³           IOELV TWA (ppm)         20 ppm           IOELV TWA (ppm)         104 mg/m³           IOELV STEL (mg/m³)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m³)         10 mg/m³ aparticulate 52 mg/m³ vapour           WEL TWA (ppm)         20 ppm vapour           WEL TWA (ppm)         20 ppm vapour           WEL STEL (mg/m³)         104 mg/m³ vapour           WEL STEL (ppm)         40 ppm vapour will lead to systemic toxicity) <td>United Kingdom - Occupational Exposure Limits</td> <td></td>	United Kingdom - Occupational Exposure Limits		
WEL TWA (ppm)         2 ppm           WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           EU - Occupational Exposure Limits           Local name         Ethylene glycol           IOELV TWA (mg/m³)         52 mg/m²           IOELV TWA (ppm)         20 ppm           IOELV STEL (mg/m³)         104 mg/m³           IOELV STEL (ppm)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ethane-1,2-diol           WEL TWA (mg/m³)         10 mg/m³ particulate 52 mg/m³ vapour           WEL TWA (ppm)         20 ppm vapour           WEL STEL (mg/m³)         104 mg/m² vapour           WEL STEL (ppm)         40 ppm vapour           WEL STEL (ppm)         5K (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Local name	Formaldehyde	
WEL STEL (mg/m³)         2.5 mg/m³           WEL STEL (ppm)         2 ppm           Regulatory reference         EH40/2005 (Third edition, 2018). HSE           EU-Occupational Exposure Limits           Local name         Ethylene glycol           DGLV TWA (mg/m³)         52 mg/m³           DGLV TWA (ppm)         20 ppm           DGLV STEL (mg/m³)         104 mg/m³           DGLV STEL (ppm)         40 ppm           Notes         Skin           Regulatory reference         COMMISSION DIRECTIVE 2000/39/EC           United Kingdom - Occupational Exposure Limits           Local name         Ehane-1,2-diol           WEL TWA (mg/m³)         10 mg/m³ particulate \$2 mg/m³ vapour           WEL TWA (ppm)         20 ppm vapour           WEL TWA (ppm)         20 ppm vapour           WEL STEL (mg/m³)         104 mg/m³ vapour           WEL STEL (ppm)         40 ppm vapour           WEL STEL (ppm)         40 ppm vapour           Remark (WEL)         Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL TWA (mg/m³)	2.5 mg/m³	
WEL STEL (ppm)       2 ppm         Regulatory reference       EH40/2005 (Third edition, 2018). HSE         Et H40/2005 (Third edition, 2018). HSE         EU - Occupational Exposure Limits         Local name       Ethylene glycol         IOELV TWA (mg/m³)       52 mg/m³         IOELV TWA (ppm)       20 ppm         IOELV STEL (mg/m³)       104 mg/m³         IOELV STEL (ppm)       40 ppm         Notes       Skin         Regulatory reference       COMMISSION DIRECTIVE 2000/39/EC         United Kingdom - Occupational Exposure Limits         Uccal name       Ehane-1,2-diol         WEL TWA (mg/m³)       10 mg/m³ particulate 52 mg/m³ vapour         WEL TWA (ppm)       20 ppm vapour         WEL STEL (mg/m³)       104 mg/m³ vapour         WEL STEL (ppm)       40 ppm vapour         WEL STEL (ppm)       40 ppm vapour         Remark (WEL)       Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL TWA (ppm)	2 ppm	
Regulatory reference       EH40/2005 (Third edition, 2018). HSE         ethanediol; ethylene glycol (107-21-1)         EU - Occupational Exposure Limits         Local name       Ethylene glycol         IOELV TWA (mg/m³)       52 mg/m³         IOELV TWA (ppm)       20 ppm         IOELV STEL (mg/m²)       104 mg/m²         IOELV STEL (ppm)       40 ppm         Notes       Skin         Regulatory reference       COMMISSION DIRECTIVE 2000/39/EC         United Kingdom - Occupational Exposure Limits         Local name       Ethane-1,2-diol         WEL TWA (mg/m³)       10 mg/m³ particulate 52 mg/m³ vapour         WEL TWA (ppm)       20 ppm vapour         WEL STEL (mg/m³)       104 mg/m² vapour         WEL STEL (ppm)       40 ppm vapour         Remark (WEL)       Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL STEL (mg/m³)	2.5 mg/m³	
ethanediol; ethylene glycol (107-21-1)  EU - Occupational Exposure Limits  Local name Ethylene glycol  IOELV TWA (mg/m³) 52 mg/m³  IOELV TWA (ppm) 20 ppm  IOELV STEL (mg/m³) 104 mg/m³  IOELV STEL (ppm) 40 ppm  Notes Skin  Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name Ethane-1,2-diol  WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (mg/m³) 40 ppm vapour  WEL STEL (ppm) 40 ppm vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL STEL (ppm)	2 ppm	
EU - Occupational Exposure Limits  Local name Ethylene glycol  IOELV TWA (mg/m³) 52 mg/m³  IOELV TWA (ppm) 20 ppm  IOELV STEL (mg/m³) 104 mg/m³  IOELV STEL (ppm) 40 ppm  Notes Skin  Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name Ethane-1,2-diol  WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Regulatory reference	EH40/2005 (Third edition, 2018). HSE	
Local nameEthylene glycolIOELV TWA (mg/m³)52 mg/m³IOELV TWA (ppm)20 ppmIOELV STEL (mg/m³)104 mg/m³IOELV STEL (ppm)40 ppmNotesSkinRegulatory referenceCOMMISSION DIRECTIVE 2000/39/ECUnited Kingdom - Occupational Exposure LimitsLocal nameEthane-1,2-diolWEL TWA (mg/m³)10 mg/m³ particulate 52 mg/m³ vapourWEL TWA (ppm)20 ppm vapourWEL STEL (mg/m³)104 mg/m³ vapourWEL STEL (ppm)40 ppm vapourRemark (WEL)Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	ethanediol; ethylene glycol (107-21-1)		
IOELV TWA (mg/m³)  IOELV TWA (ppm)  IOELV STEL (mg/m³)  IOELV STEL (ppm)  A0 ppm  Notes  Skin  Regulatory reference  COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name  Ethane-1,2-diol  WEL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm)  20 ppm vapour  WEL STEL (ppm)  40 ppm vapour  WEL STEL (ppm)  40 ppm vapour  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	EU - Occupational Exposure Limits		
IOELV TWA (ppm) 20 ppm IOELV STEL (mg/m³) 104 mg/m³ IOELV STEL (ppm) 40 ppm Notes Skin Regulatory reference COMMISSION DIRECTIVE 2000/39/EC United Kingdom - Occupational Exposure Limits Local name Ethane-1,2-diol WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour WEL TWA (ppm) 20 ppm vapour WEL STEL (mg/m³) 104 mg/m³ vapour WEL STEL (ppm) 40 ppm vapour Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Local name	Ethylene glycol	
IOELV STEL (mg/m³) IOELV STEL (ppm) 40 ppm  Notes Skin  Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name Ethane-1,2-diol WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	IOELV TWA (mg/m³)	52 mg/m³	
Notes Skin  Regulatory reference COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name Ethane-1,2-diol  WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	IOELV TWA (ppm)	20 ppm	
Notes  Regulatory reference  COMMISSION DIRECTIVE 2000/39/EC  United Kingdom - Occupational Exposure Limits  Local name  Ethane-1,2-diol  WEL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm)  20 ppm vapour  WEL STEL (mg/m³)  104 mg/m³ vapour  WEL STEL (ppm)  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	IOELV STEL (mg/m³)	104 mg/m³	
Regulatory reference  United Kingdom - Occupational Exposure Limits  Local name  Ethane-1,2-diol  WEL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm)  20 ppm vapour  WEL STEL (mg/m³)  104 mg/m³ vapour  WEL STEL (ppm)  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	IOELV STEL (ppm)	40 ppm	
United Kingdom - Occupational Exposure Limits  Local name Ethane-1,2-diol  WEL TWA (mg/m³) 10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Notes	Skin	
Local name  Ethane-1,2-diol  WEL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm)  20 ppm vapour  WEL STEL (mg/m³)  104 mg/m³ vapour  WEL STEL (ppm)  40 ppm vapour  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC	
WEL TWA (mg/m³)  10 mg/m³ particulate 52 mg/m³ vapour  WEL TWA (ppm)  20 ppm vapour  WEL STEL (mg/m³)  104 mg/m³ vapour  WEL STEL (ppm)  40 ppm vapour  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	United Kingdom - Occupational Exposure Limits		
52 mg/m³ vapour  WEL TWA (ppm) 20 ppm vapour  WEL STEL (mg/m³) 104 mg/m³ vapour  WEL STEL (ppm) 40 ppm vapour  Remark (WEL) Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	Local name	Ethane-1,2-diol	
WEL STEL (mg/m³)  WEL STEL (ppm)  40 ppm vapour  Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL TWA (mg/m³)		
WEL STEL (ppm)  40 ppm vapour  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL TWA (ppm)	20 ppm vapour	
Remark (WEL)  Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	WEL STEL (mg/m³)	104 mg/m³ vapour	
are concerns that dermal absorption will lead to systemic toxicity)	WEL STEL (ppm)	40 ppm vapour	
Regulatory reference EH40/2005 (Third edition, 2018). HSE	Remark (WEL)		
	Regulatory reference	EH40/2005 (Third edition, 2018). HSE	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Safety glasses. Gloves. Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### Personal protective equipment symbol(s):





#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

: Liquid Physical state Colour : Colourless. Odour : characteristic. Odour threshold : No data available : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point Flash point · No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available Solubility : soluble in water. Log Pow : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

## 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). fume.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rabbit	12800 mg/kg

1,6-Dihydroxy-2,5-dioxahexane (3586-55-8)	
LD50 oral rat	761 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

benzotriazole (95-14-7)	
LD50 oral rat	500 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

propane-1,2-diol (57-55-6)	
LD50 oral rat	22000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	0.31 mg/l/4h

formaldehyde% (50-00-0)	
LD50 oral rat	640 mg/kg bodyweight
LD50 dermal rabbit	270 mg/kg
LC50 inhalation rat (ppm)	< 463 ppm/4h

ethanediol; ethylene glycol (107-21-1)	
LD50 oral rat	8.54 g/kg
LD50 dermal rabbit	10600 mg/kg

Skin corrosion/irritation : Slightly irritant but not relevant for classification

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Slightly irritant but not relevant for classification

Additional information : Based on available data, the classification criteria are not met
Respiratory or skin sensitisation : May cause sensitisation of susceptible persons by skin contact

Additional information : 'Sensitizing': substances and preparations which, if they are inhaled or if they penetrate the skin, are capable of eliciting a reaction of hypersensitization such that on further exposure

to the substance or preparation, characteristic adverse effects are produced.

Germ cell mutagenicity: Not classified:

Additional information : Based on available data, the classification criteria are not met

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

	ı	ethanediol	; ethyle	ne glyco	(107-21-1)
--	---	------------	----------	----------	------------

NOAEL, male, oral, rat 150 mg/kg bw/day (12 months)

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

## **SECTION 12: Ecological information**

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term

adverse effects in the environment.

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 1000 mg/l (Desmodesmus subspicatus)
EC50 96h algae (1)	> 1000 mg/l (Desmodesmus subspicatus)

1,6-Dihydroxy-2,5-dioxahexane (3586-55-8)	
LC50 fish 1	10 - 100 mg/l
EC50 Daphnia 1	10 - 100 mg/l

penzotriazole (95-14-7)	
LC50 fish 1	180 mg/l Zebrafish (Danio rerio)
EC50 Daphnia 1	137 mg/l
ErC50 (algae)	75 mg/l
NOEC chronic crustacea	32 mg/l
NOEC chronic algae	10 mg/l

propane-1,2-diol (57-55-6)	
LC50 fish 1	40613 mg/l Rainbow trout (Oncorhynchus mykiss)
EC50 Daphnia 1	43500 mg/l
EC50 96h algae (1)	19000 mg/l
NOEC chronic crustacea	13020 mg/l
NOEC chronic algae	15000 mg/l

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
LC50 fish 1	0.19 mg/l Rainbow trout (Oncorhynchus mykiss)
EC50 Daphnia 1	1.02 mg/l

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

formaldehyde% (50-00-0)	
LC50 fish 1	40 mg/l Rainbow trout (Oncorhynchus mykiss)
EC50 Daphnia 1	18.2 mg/l
EC50 72h algae (1)	3.48 mg/l

ethanediol; ethylene glycol (107-21-1)		
LC50 fish 1	72860 mg/l Fathead minnow (Pimephales promelas)	
EC50 Daphnia 1	> 100 mg/l	
EC50 96h algae (1)	6500 - 13000 mg/l	
NOEC chronic fish	15380 mg/l	
NOEC chronic algae	> 100 mg/l	
12.2. Persistence and degradability  Towel Rail WP 0911  Persistence and degradability  Not established.		

propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)
Persistence and degradability	Readily biodegradable.

1,6-Dihydroxy-2,5-dioxahexane (3586-55-8)	
Persistence and degradability	Readily biodegradable.

propane-1,2-diol (57-55-6)	
Persistence and degradability	Readily biodegradable.
Chemical oxygen demand (COD)	1.53 g O <sub>2</sub> /g substance
ThOD	1.68 g O <sub>2</sub> /g substance
Biodegradation	96 % (64 days)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)	
Persistence and degradability	Not readily biodegradable.

formaldehyde% (50-00-0)	
Persistence and degradability	Readily biodegradable.

ethanediol; ethylene glycol (107-21-1)			
Persistence and degradability Readily biodegradable.			
Biochemical oxygen demand (BOD) 1.24 g O <sub>2</sub> /g substance			
Chemical oxygen demand (COD) 1.22 g O <sub>2</sub> /g substance			
12.3. Bioaccumulative potential			
Towel Rail WP 0911			
Bioaccumulative potential Not established.			

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
Log Pow 0.05			
Bioaccumulative potential	No bioaccumulation.		

1,6-Dihydroxy-2,5-dioxahexane (3586-55-8)	
Log Pow	-2.73

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	· ·
Bioaccumulative potential	LOW
Bioaccumulative potential	Low.
·	

propane-1,2-diol (57-55-6)			
Log Pow -1.07			
Bioaccumulative potential	No bioaccumulation.		

formaldehyde% (50-00-0)			
Log Pow 0.35			
Bioaccumulative potential	No bioaccumulation.		

ethanediol; ethylene glycol (107-21-1)				
Log Pow	-1.36			
Bioaccumulative potential Low.				
12.4. Mobility in soil				
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)				
Surface tension 22.7 mN/m				
Ecology - soil  Very mobile. Soluble material/quickly disperses in water.				

propane-1,2-diol (57-55-6)		
Ecology - soil	Soluble material/quickly disperses in water.	

ethanediol; ethylene glycol (107-21-1)			
Mobility in soil  The substance will not evaporate into the atmosphere from the water surface., Adsorption to solid soil phase is not expected.			
12.5. Results of PBT and vPvB assessment			
Component			
propane-1,2-diol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

12.6. Other adverse effects Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information
In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.2. UN proper shippin	g name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental hazards				
Dangerous for the environment : No Marine pollutant : No				
No supplementary information available				

#### No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

Full text of H- and EUH-statements:
Acute Tox. 2 (Inhalation:dust,mist)

No chemical safety assessment has been carried out

SECTION 16: Other information  Abbreviations and acronyms:	
EC50	Median effective concentration
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Acute toxicity (inhalation:dust,mist) Category 2

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	(REACH) with its amendment Regulation (EU) 2015/830
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)(55965-84-9). May produce an allergic reaction.

## SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.