

# WP 1308

## URINAL DESCALER

Blend of organic acids that dissolves uric acid and limescale even when combined.



### BENEFITS

- Completely cleans pipework when used as instructed.
- Clears most systems within 2 hours.
- Much safer than the traditional method using concentrated sulphuric acid.
- Safe on metals commonly found in or around urinals.

### DESCRIPTION

A blend of organic acids, surfactant and inhibitor for the dissolution and dissolving of uric acid/calcium carbonate complexes.

### PRODUCT SIZES

- 1 litre.

### INSTRUCTIONS FOR USE

Plug or bung up the outflow from the urinals.

Add a mixture of water and the urinal descaler until solution is visible in the urinal bowl.

Leave for between 1 – 2 hours and remove bung and allow system to drain.

(Handy tips – estimate how blocked the pipework is. 1 litre of product will deal with approximately 1 KG of uric acid/limescale complex.)

Can be used on stainless steel.

## PHYSICAL PROPERTIES

**Colour:** Green.  
**Appearance:** green liquid.  
**Odour:** mild.  
**Solubility:** soluble in water.  
**Boiling point:** >100°C  
**Flash point:** No data available.  
**Flammability:** Non-flammable.  
**Density:** ~1.4  
**pH solution:** <1

## HEALTH & SAFETY

### Hazard pictogram (CLP):



### Hazard statements (CLP):

H290 – May be corrosive to metals.  
H314 – Causes severe burns and eye damage.

### Precautionary statements (CLP):

P234 – Keep only in original packaging.  
P260 – Do not breathe in spray.  
P264 – Wash, hands, forearms and face thoroughly after handling.  
P280 – Wear protective clothing.  
P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P310 – Immediately call a doctor.  
P321 – Specific treatment (See Supplemental first aid instructions on label).  
P390 – Absorb spillage to prevent material damage.  
P405 – Store locked up.  
P406 – Store in a corrosion resistant container with a resistant inner liner.  
P501 – Dispose of contents/container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**Hazardous ingredients:** phosphoric acid 85%, orthophosphoric acid 85%

**EUH210 – Safety Data Sheet available on request.**

**Wessex Chemical Factors Ltd**  
**9 Crane Way**  
**Woolsbridge Industrial Park**  
**Three Legged Cross**  
**Wimborne**  
**Dorset**  
**BH21 6FA**  
**United Kingdom**

**Tel: 01202 823699**  
**Fax: 01202 813863**  
**Email: [info@wessexchemicalfactors.co.uk](mailto:info@wessexchemicalfactors.co.uk)**  
**Website: [www.wessexboatstore.co.uk](http://www.wessexboatstore.co.uk)**

