

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: Combiclean WP 9292
Product code	: WP 9292
Type of product	: Technical product,Alkali
Product group	: Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Oven cleaner

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd  
9 Crane Way, Woolsbridge Industrial Park,  
Three Legged Cross, Wimborne, Dorset  
BH21 6FA - United Kingdom  
T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863  
[www.wessexchemicalfactors.co.uk](http://www.wessexchemicalfactors.co.uk)  
E-mail address of competent person responsible for the SDS : [info@wessexchemicalfactors.co.uk](mailto:info@wessexchemicalfactors.co.uk)

#### 1.4. Emergency telephone number

Emergency number	: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) +44 (0) 7973629367 (Out of hours emergency number)
------------------	---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Repeated exposure, Category 2	H373
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H statements : see section 16	

##### Adverse physicochemical, human health and environmental effects

May cause damage to organs through prolonged or repeated exposure. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS08

Signal word (CLP)	: Danger
Hazardous ingredients	: sodium hydroxide; caustic soda; tetrasodium ethylene diamine tetraacetate; alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H412 - Harmful to aquatic life with long lasting effects.

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Precautionary statements (CLP)

: P260 - Do not breathe vapours.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear eye protection, protective gloves.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a doctor, a POISON CENTER.  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27-XXXX	< 10	Met. Corr. 1, H290 Skin Corr. 1A, H314
tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27-XXXX	3 - 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 STOT RE 1, H372
(2-methoxymethylethoxy)propanol substance with a Community workplace exposure limit	(CAS-No.) 34590-94-8 (EC-No.) 252-104-2 (REACH-no) 01-2119450011-60-XXXX	1 - 3	Not classified
aryl ether phosphate ester, potassium salt	(CAS-No.) 72283-31-9	1 - 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319
sodium xylene sulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56-0001	1 - 3	Eye Irrit. 2, H319
$\beta$ -alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	(CAS-No.) 90170-43-7 (EC-No.) 290-476-8 (REACH-no) 01-2119976233-35-0001	1 - 3	Eye Irrit. 2, H319
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts	(CAS-No.) 68891-38-3 (EC-No.) 500-234-8	1 - 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
3-butoxypropan-2-ol; propylene glycol monobutyl ether	(CAS-No.) 5131-66-8 (EC-No.) 225-878-4 (EC Index-No.) 603-052-00-8 (REACH-no) 01-2119475527-28-XXXX	0.1 - 3	Eye Irrit. 2, H319 Skin Irrit. 2, H315
dodecan-1-ol	(CAS-No.) 112-53-8 (EC-No.) 203-982-0 (REACH-no) 01-2119485976-15-XXXX	0.1 - 1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
1,3-Propanediamine N-(C=10-16) alkyl derivatives reaction products with 2-chloroacetic acid	(CAS-No.) 139734-65-9	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1-tetradecanol	(CAS-No.) 112-72-1 (EC-No.) 204-000-3 (REACH-no) 01-2119485910-33-XXXX	< 1	Eye Irrit. 2, H319 Aquatic Chronic 1, H410
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36-XXXX	< 1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27-XXXX	( 0.5 =<C < 2) Eye Irrit. 2, H319 ( 0.5 =<C < 2) Skin Irrit. 2, H315 ( 2 =<C < 5) Skin Corr. 1B, H314 ( 5 =<C < 100) Skin Corr. 1A, H314
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36-XXXX	( 5 =<C < 100) Carc. 2, H351

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
----------------------	---

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Avoid contact during pregnancy/while nursing. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep container closed when not in use. Store locked up.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

### 7.3. Specific end use(s)

Cleaning.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

sodium hydroxide; caustic soda (1310-73-2)		
Germany	TRGS 910 Acceptable concentration notes	
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup>
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

(2-methoxymethylethoxy)propanol (34590-94-8)		
EU	Local name	(2-Methoxymethylethoxy)-propanol
EU	IOELV TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	50 ppm
EU	Notes	Skin
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
Germany	TRGS 910 Acceptable concentration notes	
United Kingdom	Local name	(2-methoxymethylethoxy) propanol
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	308 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Personal protective equipment:

Gloves. Protective goggles. Avoid all unnecessary exposure. Protective clothing.

<b>Hand protection:</b>
Wear protective gloves.
<b>Eye protection:</b>
Chemical goggles or face shield. Safety glasses
<b>Skin and body protection:</b>
Wear suitable protective clothing
<b>Respiratory protection:</b>
[In case of inadequate ventilation] wear respiratory protection.

### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Red liquid.
Colour	: red.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
pH solution	: ~ 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.14 g/cm <sup>3</sup>
Solubility	: soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Thermal decomposition generates : fume. Corrosive vapours. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### tetrasodium ethylene diamine tetraacetate (64-02-8)

LD50 oral rat 1780 mg/kg

LC50 inhalation rat (Dust/Mist - mg/l/4h) 4.14 mg/l/4h

#### trisodium nitrilotriacetate (5064-31-3)

LD50 oral rat 1740 mg/kg

#### alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)

LD50 oral rat > 2000 mg/kg

LD50 dermal rat > 2000 mg/kg

#### sodium xylene sulphonate (1300-72-7)

LD50 oral rat  $\geq$  7200 mg/kg bodyweight

LD50 dermal rabbit > 2000 mg/kg bodyweight

#### $\beta$ -alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)

LD50 oral rat > 2000 mg/kg

#### aryl ether phosphate ester, potassium salt (72283-31-9)

LD50 oral rat > 2000 mg/kg

#### dodecan-1-ol (112-53-8)

LD50 oral rat > 2000 mg/kg bodyweight

LD50 dermal rabbit 8000 - 12000 mg/kg bodyweight

#### 1-tetradecanol (112-72-1)

LD50 oral rat > 2000 mg/kg

LD50 dermal rabbit 8000 mg/kg

#### 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)

LD50 oral rat > 2000 mg/kg bodyweight

LD50 dermal rabbit 3100 mg/kg bodyweight

#### (2-methoxymethylethoxy)propanol (34590-94-8)

LD50 oral rat 5000 mg/kg

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	9510 mg/kg
LC50 inhalation rat (mg/l)	3404.47 mg/l

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Additional information	: Based on available data, the classification criteria are not met

<b>tetrasodium ethylene diamine tetraacetate (64-02-8)</b>	
NOAEL (oral, rat, 90 days)	>= 500 mg/kg bodyweight/day
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.003 mg/l

Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Risk of serious damage to eyes. Corrosive. Causes severe burns.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

<b>sodium hydroxide; caustic soda (1310-73-2)</b>	
LC50 fish 1	125 mg/l Western mosquitofish ( <i>Gambusia affinis</i> )
EC50 other aquatic organisms 1	40.4 mg/l species of water flea ( <i>Ceriodaphnia</i> sp.)
EC50, microorganisms, ( <i>Photobacterium phosphoreum</i> )	22 mg/l (15 minutes)

<b>tetrasodium ethylene diamine tetraacetate (64-02-8)</b>	
LC50 fish 1	121 mg/l Tests performed in very soft water (10-13 mg/l CaCO <sub>3</sub> )
LC50 fish 2	1592 mg/l Tests performed in very hard water (280-320 mg CaCO <sub>3</sub> )
EC50 72h algae (1)	> 100 mg/l

<b>alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)</b>	
LC50 fish 1	7.1 mg/l
EC50 Daphnia 1	7.4 mg/l

<b>sodium xylene sulphonate (1300-72-7)</b>	
LC50 fish 1	> 1000 mg/l Rainbow trout ( <i>Oncorhynchus mykiss</i> )
EC50 Daphnia 1	> 1000 mg/l
ErC50 (algae)	310 mg/l
NOEC chronic algae	40 mg/l

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b><math>\beta</math>-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)</b>	
LC50 fish 1	4.2 mg/l Rainbow trout
EC50 Daphnia 1	29 mg/l
EC50 72h algae (1)	5.5 mg/l
NOEC chronic fish	3.2 mg/l

<b>1,3-Propanediamine N-(C=10-16) alkyl derivatives reaction products with 2-chloroacetic acid (139734-65-9)</b>	
LC50 fish 1	0.43 mg/l Cyprinus carpio

<b>dodecan-1-ol (112-53-8)</b>	
LC50 fish 1	1.01 mg/l 96 hours (Fathead Minnow)
EC50 Daphnia 1	0.765 mg/l
ErC50 (algae)	0.66 mg/l
NOEC chronic algae	0.085 mg/l

<b>1-tetradecanol (112-72-1)</b>	
LC50 fish 1	> 10000 mg/l Zebrafish (Danio rerio)
EC50 Daphnia 1	3.2 mg/l
EC50 96h algae (1)	10 mg/l

<b>3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)</b>	
LC50 fish 1	> 560 - 1000 mg/l Guppy (Poecilia reticulata)
EC50 Daphnia 1	> 100 mg/l Water flea (Daphnia sp)
EC50 72h algae (1)	525 mg/l

<b>(2-methoxymethylethoxy)propanol (34590-94-8)</b>	
LC50 fish 1	> 1000 mg/l Guppy, (Poecilia reticulata)
EC50 Daphnia 1	1919 mg/l
EC50 72h algae (1)	6999 mg/l

## 12.2. Persistence and degradability

<b>Combiclean WP 9292</b>	
Persistence and degradability	Not established.

<b>tetrasodium ethylene diamine tetraacetate (64-02-8)</b>	
Persistence and degradability	Not readily biodegradable.
Chemical oxygen demand (COD)	260 g O <sub>2</sub> /g substance

<b>alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)</b>	
Persistence and degradability	Biodegradable.

<b>sodium xylene sulphonate (1300-72-7)</b>	
Persistence and degradability	Readily biodegradable.

<b><math>\beta</math>-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)</b>	
Persistence and degradability	Readily biodegradable.



# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 1,3-Propanediamine N-(C=10-16) alkyl derivatives reaction products with 2-chloroacetic acid (139734-65-9)

Persistence and degradability	Not established.
-------------------------------	------------------

### aryl ether phosphate ester, potassium salt (72283-31-9)

Persistence and degradability	Not established.
-------------------------------	------------------

### dodecan-1-ol (112-53-8)

Persistence and degradability	Not established.
-------------------------------	------------------

### 1-tetradecanol (112-72-1)

Persistence and degradability	Not established.
-------------------------------	------------------

### 3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

### (2-methoxymethylethoxy)propanol (34590-94-8)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Chemical oxygen demand (COD)	2.02 g O <sub>2</sub> /g substance
------------------------------	------------------------------------

## 12.3. Bioaccumulative potential

### Combiclean WP 9292

Bioaccumulative potential	Not established.
---------------------------	------------------

### sodium hydroxide; caustic soda (1310-73-2)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

### tetrasodium ethylene diamine tetraacetate (64-02-8)

BCF fish 1	1.8 Bluegill, ( <i>Lepomis macrochirus</i> )
------------	--

Log Pow	-13
---------	-----

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

### alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

### sodium xylene sulphonate (1300-72-7)

Bioaccumulative potential	Not established.
---------------------------	------------------

### β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

### 1,3-Propanediamine N-(C=10-16) alkyl derivatives reaction products with 2-chloroacetic acid (139734-65-9)

Bioaccumulative potential	Not established.
---------------------------	------------------

### aryl ether phosphate ester, potassium salt (72283-31-9)

Bioaccumulative potential	Not established.
---------------------------	------------------

### dodecan-1-ol (112-53-8)

Bioaccumulative potential	Not established.
---------------------------	------------------

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1-tetradecanol (112-72-1)	
Bioaccumulative potential	Not established.

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
Log Pow	1.2
Bioaccumulative potential	Not established.

(2-methoxymethylethoxy)propanol (34590-94-8)	
Bioaccumulative potential	Not bioaccumulable.

### 12.4. Mobility in soil

sodium hydroxide; caustic soda (1310-73-2)	
Ecology - soil	Mobile. Soluble material/quickly disperses in water.

### 12.5. Results of PBT and vPvB assessment

Component	
sodium hydroxide; caustic soda (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
tetrasodium ethylene diamine tetraacetate (64-02-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
alcohols, C12-14, ethoxylated (1-2.5 EO), sulphates, sodium salts (68891-38-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium xylene sulphonate (1300-72-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
$\beta$ -alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
(2-methoxymethylethoxy)propanol (34590-94-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems.  
Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.  
Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information






In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1824	UN 1824	UN 1824	UN 1824	UN 1824
14.2. UN proper shipping name				
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Sodium hydroxide solution	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION
Transport document description				
UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II, (E)	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 Sodium hydroxide solution, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

# Combiclean WP 9292


## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				
14.6. Special precautions for user				

### Overland transport

Classification code (ADR)	: C5
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2R

### Transport by sea

Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Colourless liquid. Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Inland waterway transport

Classification code (ADN)	: C5
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: C5
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic

# Combiclean WP 9292

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*