

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 11/4/2023 Issue date: 11/4/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product form Product name Product code Type of product Product group	 Mixture Glass Cleaner (WP 2038) WP 2038 Washing and cleaning products (including solvent based products) Blend
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against
1.2.1. Relevant identified uses Industrial/Professional use spec Use of the substance/mixture	 Industrial For professional use only Glass cleaner
1.2.2. Uses advised against No additional information available	
1.3. Details of the supplier of the safety da	ta sheet
Wessex Chemical Factors Ltd 17 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset BH21 6FA - United Kingdom T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863 www.wessexchemicalfactors.co.uk E-mail address of competent person responsible for	r the SDS : info@wessexchemicalfactors.co.uk
1.4. Emergency telephone number	
Emergency number	· +44 (0) 1202 823 600 (Office hours only 0am - 5nm Monday - Thursday, 0am - 4nm Friday.)

Emergency number

: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) +44 (0) 7973629367 (Out of hours emergency number)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/200	B [CLP]
Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity — Single exposure, Category 3,	Narcosis H336
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May cause drowsiness or dizziness. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No. 12	72/2008 [CLP]	
Hazard pictograms (CLP)		
	GHS02 GHS07	
Signal word (CLP) Contains	: Danger : propan-2-ol; isopropyl alcohol; isopropanol	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233 - Keep container tightly closed.
	P240 - Ground and bond container and receiving equipment.
	P241 - Use explosion-proof electrical equipment.
	P261 - Avoid breathing vapours.
	P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear eye protection, protective gloves, protective clothing.
	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water or shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a doctor if you feel unwell.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P370+P378 - In case of fire: Use Water spray or fog, alcohol resistant foam, carbon dioxide (CO2), dry extinguishing powder to extinguish.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
	P403+P235 - Store in a well-ventilated place. Keep cool.
	P405 - Store locked up.
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	30 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25- XXXX	15 – 40	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
3-butoxypropan-2-ol; propylene glycol monobutyl ether	(CAS-No.) 5131-66-8 (EC-No.) 225-878-4 (EC Index-No.) 603-052-00-8 (REACH-no) 01-2119475527-28- XXXX	1 – 5	Eye Irrit. 2, H319 Skin Irrit. 2, H315
ammonia% (Note B)	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2 (REACH-no) 01-2119488876-14	0.1 – 0.5	Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400 (M=1)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
ammonia%	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (EC Index-No.) 007-001-01-2 (REACH-no) 01-2119488876-14	(5 ≤C < 100) STOT SE 3, H335

Note B : Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis. Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: If breathing is difficult, trained personnel should give oxygen. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/effects	: May cause drowsiness or dizziness.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: May cause skin dryness or cracking.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Indication of any immediate medica	al attention and special treatment needed
Treat symptomatically.	

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Alcohol resistant foam. Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	 Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper 	
	breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Prevent en	try to sewers and public waters. Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for contain	ment and cleaning up
For containment Methods for cleaning up	 In case of fire: Stop leak if safe to do so. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters. Soak up spills with inert solids, such as clay or diatomaceous earth as soon

as possible. Collect spillage. Store away from other materials. : Dispose of materials or solid residues at an authorized site.

Other	information	

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	 Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, incl	uding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical equipment.
Storage conditions	: Store locked up. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight. Keep in fireproof place. Keep container tightly closed.
Incompatible products	: Strong oxidizing agents. Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Storage temperature	: ≥5 °C

Cleaning.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parametersethanol; ethyl alcohol (64-17-5)United Kingdom - Occupational Exposure LimitsLocal nameEthanolVolspan="2">WEL TWA (mg/m³)EthanolWEL TWA (ppm)1920 mg/m³WEL TWA (ppm)1000 ppmRegulatory referenceEH40/2005 (Fourth edition, 2020). HSE

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol	
WEL TWA (mg/m³)	999 mg/m³	
WEL TWA (ppm)	400 ppm	
WEL STEL (mg/m³)	1250 mg/m³	
WEL STEL (ppm)	500 ppm	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Protective goggles. Gloves. Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves.
Eye protection:
Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Personal protective equipment symbol(s):



Environmental exposure controls: Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Odour Odour threshold pH	 Liquid Colourless. characteristic. No data available No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 82 °C
Flash point	: 18 – 21 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ~ 0.85 g/cm³
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates : Carbon oxides (CO, CO2). fume. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)

: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rabbit	3100 mg/kg bodyweight

ammonia% (1336-21-6)	
LD50 oral rat	350 mg/kg bodyweight
LC50 inhalation rat (ppm)	2000 ppm/4h

ethanol; ethyl alcohol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 oral	3450 mg/kg (Mouse)
LD50 dermal rat	15800 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	124.7 mg/l/4h

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))

Skin corrosion/irritation Additional information Serious eye damage/irritation Respiratory or skin sensitisation Additional information	 Not classified Based on available data, the classification criteria are not met Causes serious eye irritation. Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information Carcinogenicity	 Based on available data, the classification criteria are not met Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Direct contact with the eyes is likely to be irritating. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
LC50 fish 1	560 – 1000 mg/l Guppy (Poecilia reticulata)
EC50 Daphnia 1	> 100 mg/l Water flea (Daphnia sp)
EC50 72h algae (1)	525 mg/l

ammonia% (1336-21-6)	
LC50 fish 1	0.53 mg/l Rainbow trout (Onchorynchus mykiss)
EC50 Daphnia 1	0.66 mg/l

ethanol; ethyl alcohol (64-17-5)	
LC50 fish 1	13000 mg/l Oncorhynchus mykiss (Rainbow trout)
LC50 fish 2	14200 mg/l Pimephales promelas (Fat-head Minnow)
EC50 Daphnia 1	12340 mg/l
EC50 72h algae (1)	275 mg/l Chlorella vulgaris
NOEC chronic crustacea	9.6 mg/l Daphnia magna
EC50, algae, Selenastrum capricornutum	> 100 mg/l (48 Hours)

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 72h algae (1)	> 1000 mg/l (Desmodesmus subspicatus)
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)

12.2. Persistence and degradability

Glass Cleaner (WP 2038)	
Persistence and degradability	Not established.

3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	
Persistence and degradability	Readily biodegradable.

ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	37.74 % ThOD
Biodegradation	84 % 20 days

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential		
Glass Cleaner (WP 2038)		
Bioaccumulative potential	Not established.	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)		

Partition coefficient n-octanol/water (Log Pow)	1.2
Bioaccumulative potential	Not established.
ethanol; ethyl alcohol (64-17-5)	

Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Low.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

ethanol; ethyl alcohol (64-17-5)	
Surface tension	24.5 mN/m
Ecology - soil	Product evaporates when in contact with the air.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Surface tension	22.7 mN/m
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.

12.5. Results of PBT and vPvB assessment

Component	
3-butoxypropan-2-ol; propylene glycol monobutyl ether (5131-66-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
ethanol; ethyl alcohol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Flammable vapours may accumulate in the container. Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number		·	·	·
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name			·
FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol)	Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol)	FLAMMABLE LIQUID, N.O.S. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethy alcohol)
Transport document descr	iption			
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol; ethanol; ethyl alcohol), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol), 3, II	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol ; ethanol; ethyl alcohol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol ; ethanol; ethy alcohol), 3, II
14.3. Transport hazard o	class(es)			
3	3	3	3	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary informatio		l	I	I

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	F1
Special provisions (ADR)	:	274, 601, 640D
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T7
Portable tank and bulk container special provisions	:	TP1, TP8, TP28
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	2
Special provisions for carriage - Operation (ADR)	:	S2, S20
Hazard identification number (Kemler No.)	:	33
Orange plates	:	33
		1993
Tunnel restriction code (ADR)	:	D/E

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EAC code	: •3YE
Transport by sea	
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
	: P001
Packing instructions (IMDG)	
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
	. 511
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 274, 601, 640D
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
	: P001, IBC02, R001
Packing instructions (RID)	
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP1, TP8, TP28
(RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acrony	/ms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
ThOD	Theoretical oxygen demand (ThOD)
vPvB	Very Persistent and Very Bioaccumulative

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.