

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 SDS Ref.: Periodic review of SDS 11/19/2021 Date of issue: 4/2/2015 Revision date: 11/19/2018 Supersedes: 8/17/2017 Version: 2.2

SECTION 1: Identification of the substar	nce/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Product name	: Tiffer	
Product code	: B220	
Type of product	: Aqueous solution including surfactants	
Product group	: Blend	
1.2. Relevant identified uses of the substance	e or mixture and uses advised against	
1.2.1. Relevant identified uses		
Industrial/Professional use spec	: Industrial For professional use only	
Use of the substance/mixture	: Traffic film remover	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safety data Wessex Chemical Factors Ltd 9 Crane Way, Woolsbridge Industrial Park, Three Legged Cross, Wimborne, Dorset BH21 6FA - United Kingdom T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863 www.wessexchemicalfactors.co.uk E-mail address of competent person responsible for the		
1.4. Emergency telephone number		
	44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) 44 (0) 7973629367 (Out of hours emergency number)	
SECTION 2: Hazards identification		
2.1. Classification of the substance or mixtu	re	
Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 1 Full text of H statements : see section 16	272/2008 [CLP] H315 H318	
Adverse physicochemical, human health and envi	ironmental effects	
Causes skin irritation. Causes serious eye damage. 2.2. Label elements		
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)		
	GHS05	
Signal word (CLP)	: Danger	
Hazardous ingredients	 sodium hydroxide; caustic soda; tetrasodium ethylene diamine tetraacetate; C9-11 alcohol ethoxylate with 6.5 mol EO 	
Hazard statements (CLP)	: H315 - Causes skin irritation. H318 - Causes serious eye damage.	
Precautionary statements (CLP)	 P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a doctor, a POISON CENTER. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. 	
2.3. Other hazards		

2.3. Other hazards No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients 3.1. Substances Not applicable

3.2. Mixtures

5.2. WIXIURES			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
tetrasodium ethylene diamine tetraacetate	(CAS-No.) 64-02-8 (EC-No.) 200-573-9 (EC Index-No.) 607-428-00-2 (REACH-no) 01-2119486762-27- XXXX	1 - 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 STOT RE 2, H373
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27- XXXX	< 3	Met. Corr. 1, H290 Skin Corr. 1A, H314
C9-11 alcohol ethoxylate with 6.5 mol EO	(CAS-No.) 68439-46-3	1 - 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8	0.1 - 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
β -alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	(CAS-No.) 90170-43-7 (EC-No.) 290-476-8 (REACH-no) 01-2119976233-35-0001	0.1 - 1	Eye Irrit. 2, H319
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36- XXXX	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Carc. 2, H351
Specific concentration limits:		·	
Name	Product identifier	Specific co	ncentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27- XXXX	(0.5 = <c 2)="" 2,="" <="" eye="" h319<br="" irrit.="">(0.5 =<c 2)="" 2,="" <="" h315<br="" irrit.="" skin="">(2 =<c 1b,="" 5)="" <="" corr.="" h314<br="" skin="">(C >= 5) Skin Corr. 1A, H314</c></c></c>	
trisodium nitrilotriacetate	(CAS-No.) 5064-31-3 (EC-No.) 225-768-6 (EC Index-No.) 607-620-00-6 (REACH-no) 01-2119519239-36- XXXX	(C >= 5) Carc	:. 2, H351

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Assure fresh air breathing. Allow the victim to rest.	
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.	
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after skin contact	: Irritation.	
Symptoms/effects after eye contact	: Serious damage to eyes.	
4.3. Indication of any immediate medical a	attention and special treatment needed	

Treat symptomatically.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream. Use of heavy stream of water may spread fire.
5.2. Special hazards arising from the substa	ince or mixture
Fire hazard	: Not flammable.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
	wers and public waters. Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Dispose of materials or solid residues at an authorized site.	

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment.	
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Storage temperature	:≥5 °C	
7.3. Specific end use(s)		
No additional information available		

SECTION 8: Exposure controls/personal protection 8.1. Control parameters sodium hydroxide; caustic soda (1310-73-2)		
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m³)	2 mg/m³
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment:

Avoid all unnecessary exposure. Safety glasses. Gloves.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Green. Mobile liquid.	
Colour	: Green.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: Not applicable	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 1.052 g/cm³	
Solubility	: soluble in water.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Not established.
10.4. Conditions to avoid
Direct sunlight. Extremely high or low temperatures.
10.5. Incompatible materials
Strong acids. Strong bases.
10.6. Hazardous decomposition products
Thermal decomposition generates : fume. Carbon oxides (CO, CO2).

11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
sodium hydroxide; caustic soda (1310-73	3-2)
LD50 oral	> 500 mg/kg (rabbit)
tetrasodium ethylene diamine tetraacetat	ze (64-02-8)
LD50 oral rat	1780 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	4.14 mg/l/4h
trisodium nitrilotriacetate (5064-31-3)	
LD50 oral rat	1740 mg/kg
C9-11 alcohol ethoxylate with 6.5 mol EO	(68439-46-3)
LD50 oral rat	< 2000 mg/kg
β-alanine, N-(2-carboxyethyl)-, N-coco all	kyl derivs., disodium salts (90170-43-7) > 2000 mg/kg
	2000 mg/kg
disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.06 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
tetrasodium ethylene diamine tetraacetat	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

disodium metasilicate (6834-92-0)	
NOAEL (oral, rat, 90 days)	> 227 - 237 mg/kg bodyweight/day
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity :	Not classified
Chronic aquatic toxicity :	Not classified
sodium hydroxide; caustic soda (1310-73-2)	
LC50 fish 1	125 mg/l Western mosquitofish (Gambusia affinis)
EC50 other aquatic organisms 1	40.4 mg/l species of water flea (Ceriodaphnia sp.)

tetrasodium ethylene diamine tetraacetate (64-02-8)	
LC50 fish 1	121 mg/l Tests performed in very soft water (10-13 mg/l CaCO3
LC50 fish 2	1592 mg/l Tests performed in very hard water (280-320 mg CaCO3)
EC50 72h algae (1)	> 100 mg/l

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LC50 fish 1	1 - 10 mg/l

β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	
LC50 fish 1 4.2 mg/l Rainbow trout	
EC50 Daphnia 1	29 mg/l
EC50 72h algae (1)	5.5 mg/l
NOEC chronic fish	3.2 mg/l

disodium metasilicate (6834-92-0)	
LC50 fish 1	2320 mg/l Western mosquitofish (Gambusia affinis)
LC50 fish 2	210 mg/l Zebra fish (Danio rerio)
EC50 Daphnia 1	1700 mg/l
EC50 72h algae (1)	207 mg/l
ErC50 (algae)	> 345.4 mg/l
12.2. Persistence and degradability	
Tiffer	
Persistence and degradability	Not established.

tetrasodium ethylene diamine tetraacetate (64-02-8)	
Persistence and degradability	Not readily biodegradable.
Chemical oxygen demand (COD)	260 g O ₂ /g substance

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
Persistence and degradability	Readily biodegradable.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7) Persistence and degradability Readily biodegradable.		
disodium metasilicate (6834-92-0)		
Persistence and degradability	Not established.	
2.3. Bioaccumulative potential		
Tiffer		
Bioaccumulative potential	Not established.	
sodium hydroxide; caustic soda (1310-73-2)		
Bioaccumulative potential	No bioaccumulation.	
tetrasodium ethylene diamine tetraacetate (64-02-8)		
BCF fish 1	1.8 Bluegill, (Lepomis macrochirus)	
Log Pow	-13	
Bioaccumulative potential	Low bioaccumulation potential.	
C9-11 alcohol ethoxylate with 6.5 mol EO (684	439-46-3)	
Bioaccumulative potential	Bioaccumulation unlikely.	
β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7) Bioaccumulative potential Bioaccumulation unlikely.		
disodium metasilicate (6834-92-0)		
Bioaccumulative potential	No bioaccumulation.	
12.4. Mobility in soil		
sodium hydroxide; caustic soda (1310-73-2)		
Ecology - soil	Mobile. Soluble material/quickly disperses in water.	
2.5. Results of PBT and vPvB assessment		
Component		
sodium hydroxide; caustic soda (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
tetrasodium ethylene diamine tetraacetate (64-02-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46- 3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
disodium metasilicate (6834-92-0)	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)	
2.6. Other adverse effects	Avoid release to the environment.	
Additional information :		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number	
UN-No. (ADR)	: 1824
UN-No. (IMDG)	: 1824
UN-No. (IATA)	: 1824
UN-No. (ADN)	: 1824
UN-No. (RID)	: 1824
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IMDG)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (IATA)	: Sodium hydroxide solution
Proper Shipping Name (ADN)	: SODIUM HYDROXIDE SOLUTION
Proper Shipping Name (RID)	: SODIUM HYDROXIDE SOLUTION
Transport document description (ADR)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)
Transport document description (IMDG)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
Transport document description (IATA)	: UN 1824 Sodium hydroxide solution, 8, III
Transport document description (ADN)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
Transport document description (RID)	: UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
14.3. Transport hazard class(es)	
ADR	

: 8

: 8

: 8

: 8

: 8

: 8

: 8

: 8

: 8

: 8

Transport hazard class(es) (ADR) Danger labels (ADR)

IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

ΙΑΤΑ

Transport hazard class(es) (IATA) Hazard labels (IATA)

ADN

Transport hazard class(es) (ADN) Danger labels (ADN)

RID

Transport hazard class(es) (RID) Danger labels (RID)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



	8
14.4. Packing group	Ň
Packing group (ADR)	: 111
Packing group (IMDG)	: 111
Packing group (IATA)	: 111
Packing group (ADN)	: 111
Packing group (RID)	: III
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: C5
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Hazard identification number (Kemler No.)	: 80
	80 1824
Tunnel restriction code (ADR)	:E
EAC code	: 2R
Transport by sea	
Special provisions (IMDG)	: 223
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: A
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Colourless liquid. Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Inland waterway transport	
Classification code (ADN)	: C5
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C5
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 80
14.7 Transport in bulk according to Anney I	I of Marnol and the IBC Cor

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
ΙΑΤΑ	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
PBT	Persistent Bioaccumulative Toxic
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
Н373	May cause damage to organs through prolonged or repeated exposure.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product