

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS 09/3/2023

Issue date: 12/15/2014 Revision date: 9/3/2020 Supersedes version of: 11/30/2015 Version: 2.1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : CB 25 Pink (New Chelating Agent)

Product code : WP 0829
Type of product : Cleaning
Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd

17 Crane Way, Woolsbridge Industrial Park,

Three Legged Cross, Wimborne, Dorset

BH21 6FA - United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS: info@wessexchemicalfactors.co.uk

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)

+44 (0) 7973629367 (Out of hours emergency number)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning

Contains : C9-11 alcohol ethoxylate with 6.5 mol EO Hazard statements (CLP) : H319 - Causes serious eye irritation.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, protective clothing, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

No additional information available

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glutamic acid, N,N-diacetic acid, tetrasodium salt	(CAS-No.) 51981-21-6 (EC-No.) 257-573-7 (REACH-no) 01-2119493601-38- XXXX	1 – 5	Not classified
C9-11 alcohol ethoxylate with 6.5 mol EO	(CAS-No.) 68439-46-3	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
$\beta\text{-alanine},$ N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	(CAS-No.) 90170-43-7 (EC-No.) 290-476-8 (REACH-no) 01-2119976233-35-0001	0.1 – 0.5	Eye Irrit. 2, H319
pentasodium triphosphate	(CAS-No.) 7758-29-4 (EC-No.) 231-838-7 (REACH-no) 01-2119430450-54- XXXX	0.1 – 0.5	Not classified
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8	0.1 – 0.5	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25- XXXX	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	(EC-No.) 939-350-2 (REACH-no) 01-2119970550-39-0000	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
benzotriazole	(CAS-No.) 95-14-7 (EC-No.) 202-394-1	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H-statements: see section 16

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison

center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand. Use extinguishing media

appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

9/3/2020 (Version: 2.1) EN (English) 3/12

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Provide good ventilation in process area to

prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

#### 7.3. Specific end use(s)

No additional information available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethanol; ethyl alcohol (64-17-5)	thyl alcohol (64-17-5)	
United Kingdom - Occupational Exposure Limits		
Local name	Ethanol	
WEL TWA (mg/m³)	1920 mg/m³	
WEL TWA (ppm)	1000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

opan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Inited Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (mg/m³)	999 mg/m³
WEL TWA (ppm)	400 ppm
WEL STEL (mg/m³)	1250 mg/m³
WEL STEL (ppm)	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Avoid all unnecessary exposure. Safety glasses. Gloves.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Wear appropriate mask

#### Personal protective equipment symbol(s):





#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : pink. Odour · characteristic Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 60 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Will not normally support combustion.

Vapour pressure : No data available : No data available Relative vapour density at 20 °C Relative density : No data available : 1.03 g/ml Density : soluble in water. Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available No data available Viscosity, dynamic Explosive properties No data available Oxidising properties No data available

#### 9.2. Other information

Explosive limits

No additional information available

: No data available

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.06 mg/l/4h

pentasodium triphosphate (7758-29-4)	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rabbit	> 4640 mg/kg

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
LD50 oral rat	397.5 mg/kg
LD50 dermal rabbit	3412 mg/kg

thanol; ethyl alcohol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 oral	3450 mg/kg (Mouse)
LD50 dermal rat	15800 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	124.7 mg/l/4h

β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	
LD50 oral rat	> 2000 mg/kg

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

benzotriazole (95-14-7)	
LD50 oral rat	500 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)		39-46-3)
	LD50 oral rat	< 2000 mg/kg
	Skin corrosion/irritation :	Not classified
		Based on available data, the classification criteria are not met
		Causes serious eye irritation.
	Respiratory or skin sensitisation :	Not classified
	Additional information :	Based on available data, the classification criteria are not met
	Germ cell mutagenicity :	Not classified
	Additional information :	Based on available data, the classification criteria are not met
	Carcinogenicity :	Not classified
	Additional information :	Based on available data, the classification criteria are not met
	Reproductive toxicity :	Not classified
	Additional information :	Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

disodium metasilicate (6834-92-0)		
	NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight/day

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and : Based on available data, the cl

symptoms

: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

acute)

: Not classified

Hazardous to the aquatic environment, long-term  $% \left( \mathbf{r}_{\mathbf{r}}^{\prime }\right) =\mathbf{r}_{\mathbf{r}}^{\prime }$ 

m : Not classified

(chronic)

disodium metasilicate (6834-92-0)	
LC50 fish 1	2320 mg/l Western mosquitofish (Gambusia affinis)
LC50 fish 2	210 mg/l Zebra fish (Danio rerio)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50 Daphnia 1	1700 mg/l
EC50 72h algae (1)	207 mg/l
ErC50 (algae)	> 345.4 mg/l

pentasodium triphosphate (7758-29-4)	
EC50, aquatic invertebrates, daphnia	276.61 mg/l (96 Hours)

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
LC50 fish 1	0.515 mg/l Lepomis macrochirus
EC50 Daphnia 1	0.016 mg/l
EC50 other aquatic organisms 1	0.32 mg/l (Acartia tonsa)
EC50 72h algae (1)	0.03 mg/l Freshwater algae
EC50 72h algae (2)	0.207 mg/l Marine water algae
NOEC chronic fish	0.032 mg/l
NOEC chronic crustacea	0.025 mg/l
NOEC chronic algae	0.009 mg/l
EC50, microorganisms	7.75 mg/l (3 Hours)
NOEC, microorganisms	1.6 mg/l (3 Hours)

ethanol; ethyl alcohol (64-17-5)	
LC50 fish 1	13000 mg/l Oncorhynchus mykiss (Rainbow trout)
LC50 fish 2	14200 mg/l Pimephales promelas (Fat-head Minnow)
EC50 Daphnia 1	12340 mg/l
EC50 72h algae (1)	275 mg/l Chlorella vulgaris
NOEC chronic crustacea	9.6 mg/l Daphnia magna
EC50, algae, Selenastrum capricornutum	> 100 mg/l (48 Hours)

3-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	
LC50 fish 1	4.2 mg/l Rainbow trout
EC50 Daphnia 1	29 mg/l
EC50 72h algae (1)	5.5 mg/l
NOEC chronic fish	3.2 mg/l

benzotriazole (95-14-7)	
LC50 fish 1	180 mg/l Zebrafish (Danio rerio)
EC50 Daphnia 1	107 mg/l
ErC50 (algae)	75 mg/l
NOEC chronic crustacea	0.97 mg/l
NOEC chronic algae	1.18 mg/l

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 72h algae (1)	> 1000 mg/l (Desmodesmus subspicatus)

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LC50 fish 1	1 – 10 mg/l

#### 12.2. Persistence and degradability

#### **CB 25 Pink (New Chelating Agent)**

Persistence and degradability Not established.

#### disodium metasilicate (6834-92-0)

Persistence and degradability Not established.

#### pentasodium triphosphate (7758-29-4)

Persistence and degradability Not established.

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides		
	Persistence and degradability	Readily biodegradable.
	Biodegradation	63 % (in 28 days)

ethanol; ethyl alcohol (64-17-5)	
Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O₂/g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	37.74 % ThOD
Biodegradation	84 % 20 days

β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)		erivs., disodium salts (90170-43-7)
	Persistence and degradability	Readily biodegradable

#### propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Persistence and degradability Readily biodegradable.

#### **C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)**

Persistence and degradability Readily biodegradable.

#### 12.3. Bioaccumulative potential

#### **CB 25 Pink (New Chelating Agent)**

Bioaccumulative potential Not established.

#### disodium metasilicate (6834-92-0)

Bioaccumulative potential No bioaccumulation.

9/3/2020 (Version: 2.1) EN (English) 9/12

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

pentasodium triphosphate (7758-29-4)	
Bioaccumulative potential	Not established.

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	
Partition coefficient n-octanol/water (Log Kow)	2.75
Bioaccumulative potential	Low.

ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Low.

β-alanine, N-(2-carboxyethyl)-, N-coco alkyl d	erivs., disodium salts (90170-43-7)
Bioaccumulative potential	Bioaccumulation unlikely.

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	No bioaccumulation.

#### **C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)** Bioaccumulative potential Bioaccumulation unlikely.

#### 12.4. Mobility in soil

thanol; ethyl alcohol (64-17-5)	
Surface tension	24.5 mN/m
Ecology - soil	Product evaporates when in contact with the air.

propan-2-ol; isopropyl alcohol; isopropanol (6	ppan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Surface tension	22.7 mN/m	
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.	

#### 12.5. Results of PBT and vPvB assessment

Component	
disodium metasilicate (6834-92-0)	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)
pentasodium triphosphate (7758-29-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
β-alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods
Product/Packaging disposal recommendations

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information	n available			

#### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.