

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Cutter Clean (New Chelating Agent) WP 9834
Product code	: WP 9834
Type of product	: Cleaner
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec	: Industrial For professional use only
Use of the substance/mixture	: Removes wood resin from saw blades

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd
9 Crane Way, Woolsbridge Industrial Park,
Three Legged Cross, Wimborne, Dorset
BH21 6FA - United Kingdom
T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863
www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS : info@wessexchemicalfactors.co.uk

1.4. Emergency telephone number

Emergency number	: +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.) +44 (0) 7973629367 (Out of hours emergency number)
------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP)	: Danger
Hazardous ingredients	: sodium hydroxide; caustic soda; benzenesulfonic acid, C10-13-alkyl derivs., sodium salts; disodium metasilicate; C9-11 alcohol ethoxylate with 6.5 mol EO
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

- : P260 - Do not breathe spray, mist.
P264 - Wash hands thoroughly after handling.
P280 - Wear eye protection, protective gloves, protective clothing.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call doctor.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P405 - Store locked up.
P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve	(CAS-No.) 111-76-2 (EC-No.) 203-905-0 (EC Index-No.) 603-014-00-0 (REACH-no) 01-2119475108-36-XXXX	5 – 10	Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Irrit. 2, H315
benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	(CAS-No.) 68411-30-3 (EC-No.) 270-115-0	1 – 3	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8	1 – 3	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27-XXXX	1 – 3	Met. Corr. 1, H290 Skin Corr. 1A, H314
C9-11 alcohol ethoxylate with 6.5 mol EO	(CAS-No.) 68439-46-3	1 – 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
glutamic acid, N,N-diacetic acid, tetrasodium salt	(CAS-No.) 51981-21-6 (EC-No.) 257-573-7 (REACH-no) 01-2119493601-38-XXXX	0.1 – 3	Not classified
sodium nitrite	(CAS-No.) 7632-00-0 (EC-No.) 231-555-9 (EC Index-No.) 007-010-00-4 (REACH-no) 01-2119471836-27-XXXX	0.1 – 1	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Eye Irrit. 2, H319 Aquatic Acute 1, H400

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium xylene sulphonate	(CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56-0001	0.1 – 1	Eye Irrit. 2, H319
tetrapotassium pyrophosphate	(CAS-No.) 7320-34-5 (EC-No.) 230-785-7 (REACH-no) 01-2119489369-18-XXXX	0.1 – 1	Eye Irrit. 2, H319

Specific concentration limits:

Name	Product identifier	Specific concentration limits
sodium hydroxide; caustic soda	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27-XXXX	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if inhaled.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Harmful in contact with skin. Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Swallowing a small quantity of this material will result in serious health hazard. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Sand. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. Store locked up.

Incompatible products : Strong bases. Strong acids.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)

EU - Occupational Exposure Limits

Local name	2-Butoxyethanol
IOELV TWA (mg/m ³)	98 mg/m ³
IOELV TWA (ppm)	20 ppm
IOELV STEL (mg/m ³)	246 mg/m ³

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

IOELV STEL (ppm)	50 ppm
Notes	Skin
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom - Occupational Exposure Limits	
Local name	2-Butoxyethanol
WEL TWA (mg/m ³)	123 mg/m ³
WEL TWA (ppm)	25 ppm
WEL STEL (mg/m ³)	246 mg/m ³
WEL STEL (ppm)	50 ppm
Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

sodium hydroxide; caustic soda (1310-73-2)

United Kingdom - Occupational Exposure Limits

Local name	Sodium hydroxide
WEL STEL (mg/m ³)	2 mg/m ³
Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protective equipment:

Gloves. Protective goggles. Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or face shield. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Red liquid.
Colour	: red.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.062 g/cm ³
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapours.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates : Corrosive vapours. fume. Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.06 mg/l/4h

tetrapotassium pyrophosphate (7320-34-5)	
LD50 oral rat	2440 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1.1 mg/l/4h

sodium xylene sulphonate (1300-72-7)	
LD50 oral rat	≥ 7200 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)	
LD50 oral	1414 mg/kg (guinea pig)
LC50 inhalation rat (mg/l)	2.56 mg/l/4h

sodium hydroxide; caustic soda (1310-73-2)	
LD50 oral	325 mg/kg bodyweight

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LD50 oral rat	< 2000 mg/kg

sodium nitrite (7632-00-0)	
LD50 oral rat	180 mg/kg bodyweight
LD50 dermal	No data/information is available for acute dermal toxicity. Sodium nitrite is not expected to pass the skin.
LC50 inhalation rat (Dust/Mist - mg/l/4h)	Testing concerning acute inhalation toxicity is not meaningful, since sodium nitrite has an extreme high water solubility and leads to oral uptake.

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)	
LD50 oral rat	1080 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitisation : Not classified
Additional information : Based on available data, the classification criteria are not met
Germ cell mutagenicity : Not classified
Additional information : Based on available data, the classification criteria are not met
Carcinogenicity : Not classified
Additional information : Based on available data, the classification criteria are not met

sodium nitrite (7632-00-0)	
IARC group	2A - Probably carcinogenic to humans

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium nitrite (7632-00-0)	
NOAEL (chronic, oral, animal/male, 2 years)	130 mg/kg bodyweight Rat
NOAEL (chronic, oral, animal/female, 2 years)	150 mg/kg bodyweight Rat

Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

disodium metasilicate (6834-92-0)	
NOAEL (oral, rat, 90 days)	> 227 – 237 mg/kg bodyweight/day

sodium nitrite (7632-00-0)	
NOEL, male, oral, rat	10 mg/kg bw/day (2 years)

Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

disodium metasilicate (6834-92-0)	
LC50 fish 1	2320 mg/l Western mosquitofish (<i>Gambusia affinis</i>)
LC50 fish 2	210 mg/l Zebra fish (<i>Danio rerio</i>)
EC50 Daphnia 1	1700 mg/l
EC50 72h algae (1)	207 mg/l
ErC50 (algae)	> 345.4 mg/l

tetrapotassium pyrophosphate (7320-34-5)	
LC50 fish 1	> 100 mg/l Rainbow Trout (<i>Oncorhynchus mykiss</i>)
EC50 Daphnia 1	> 100 mg/l
EC50 72h algae (1)	> 100 mg/l
NOEC chronic algae	> 100 mg/l

sodium xylene sulphonate (1300-72-7)	
LC50 fish 1	> 1000 mg/l Rainbow trout (<i>Oncorhynchus mykiss</i>)
EC50 Daphnia 1	> 1000 mg/l

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ErC50 (algae)	310 mg/l
NOEC chronic algae	40 mg/l

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)

LC50 fish 1	1474 mg/l Rainbow trout (<i>Oncorhynchus mykiss</i>)
EC50 Daphnia 1	1550 mg/l
ErC50 (algae)	1840 mg/l
NOEC chronic crustacea	100 mg/l
NOEC chronic algae	130 mg/l

sodium hydroxide; caustic soda (1310-73-2)

LC50 fish 1	125 mg/l Western mosquitofish (<i>Gambusia affinis</i>)
EC50 other aquatic organisms 1	40.4 mg/l species of water flea (<i>Ceriodaphnia</i> sp.)
EC50, microorganisms, (<i>Photobacterium phosphoreum</i>)	22 mg/l (15 minutes)

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

LC50 fish 1	1 – 10 mg/l
-------------	-------------

sodium nitrite (7632-00-0)

LC50 fish 1	0.54 – 26.3 mg/l Rainbow trout (<i>Oncorhynchus mykiss</i>)
EC50 Daphnia 1	15.4 mg/l
EC50 other aquatic organisms 1	4.93 mg/l <i>Cherax quadricarinatus</i>
ErC50 (algae)	> 100 mg/l
EC50, daphnia, short term	15.4 mg/l (48 Hours)
LC50, aquatic invertebrates	4.93 mg/l (96 Hours)
EC50, aquatic algae	> 100 mg/l (72 Hours)
EC50, microorganisms	421 mg/l (48 Hours)
NOEC, fish, Chronic	6.61 mg/l (31 days)
NOEC, daphnia, Chronic	9.86 mg/l (80 days)

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)

LC50 fish 1	1.67 mg/l
NOEC chronic fish	1 mg/l
LC50, fish, Bluegill sunfish (<i>Lepomis macrochirus</i>)	1.67 mg/l (96 Hours)
EC50, daphnia, acute	2.9 mg/l (48 Hours, (OECD 202 method))
EC10, Duckweed, (<i>Lemna minor</i>)	0.21 mg/l (7 days, (OECD 221 method))
EC50, Duckweed, (<i>Lemna minor</i>)	2.3 mg/l (7 days, (OECD 221 method))
NOEC, <i>Elodea canadensis</i>	> 4 mg/l (28 days)
NOEC, <i>Chironomus riparius</i>	319 ppm (24 Hours)
LOEC, <i>Chironomus riparius</i>	993 ppm (24 Hours)

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability

Cutter Clean (New Chelating Agent) WP 9834

Persistence and degradability	Not established.
-------------------------------	------------------

disodium metasilicate (6834-92-0)

Persistence and degradability	Not established.
-------------------------------	------------------

tetrapotassium pyrophosphate (7320-34-5)

Persistence and degradability	Not established.
-------------------------------	------------------

sodium xylene sulphonate (1300-72-7)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	90.4 % (28 days)
----------------	------------------

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

sodium nitrite (7632-00-0)

Persistence and degradability	Not established.
-------------------------------	------------------

benzenesulfonic acid, C10-13-alkyl derivs., sodium salts (68411-30-3)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Cutter Clean (New Chelating Agent) WP 9834

Bioaccumulative potential	Not established.
---------------------------	------------------

disodium metasilicate (6834-92-0)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

tetrapotassium pyrophosphate (7320-34-5)

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

sodium xylene sulphonate (1300-72-7)

Bioaccumulative potential	Not established.
---------------------------	------------------

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)

Partition coefficient n-octanol/water (Log Pow)	0.81
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

sodium hydroxide; caustic soda (1310-73-2)

Bioaccumulative potential	No bioaccumulation.
---------------------------	---------------------

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

Bioaccumulative potential	Bioaccumulation unlikely.
---------------------------	---------------------------

sodium nitrite (7632-00-0)

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)

Ecology - soil	Soluble material/quickly disperses in water.
----------------	--

sodium hydroxide; caustic soda (1310-73-2)

Ecology - soil	Mobile. Soluble material/quickly disperses in water.
----------------	--

12.5. Results of PBT and vPvB assessment

Component

tetrapotassium pyrophosphate (7320-34-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium xylene sulphonate (1300-72-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
2-butoxyethanol; ethyleneglycol monobutyl ether; butyl cellosolve (111-76-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium hydroxide; caustic soda (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
sodium nitrite (7632-00-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
disodium metasilicate (6834-92-0)	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information






In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 3267	UN 3267	UN 3267	UN 3267	UN 3267

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2))	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2))	Corrosive liquid, basic, organic, n.o.s. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2))	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2))	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2))
Transport document description				
UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2)), 8, II, (E)	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2)), 8, II	UN 3267 Corrosive liquid, basic, organic, n.o.s. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2)), 8, II	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2)), 8, II	UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS disodium metasilicate(6834-92-0) sodium hydroxide, caustic soda(1310-73-2)), 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C7
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T11
Portable tank and bulk container special provisions (ADR)	: TP2, TP27
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	:



Tunnel restriction code (ADR)	: E
EAC code	: 2X
APP code	: B

Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SG35
Properties and observations (IMDG)	: Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C7
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: C7
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2, TP27
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
EC-No.	European Community number
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Skin Corr. 1B	H314
Eye Dam. 1	H318

Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3

Cutter Clean (New Chelating Agent) WP 9834

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.