

**WP**

# ENGINE CLEAN

Solvent based engine degreaser



## BENEFITS

- Water rinseable.
- Suitable for parts washes.
- Fast acting.
- Non-caustic.

## PRODUCT SIZES

- 25 litres

## DESCRIPTION

Engine clean is a non-toxic liquid chemical degreaser.

It is non-toxic, fast acting and does not give off offensive fumes.

It emulsifies oil and grease into a milky emulsion.

## INSTRUCTIONS FOR USE

Apply engine clean by spray, brush or deep method.

Allow to soak for several minutes. When spraying or brushing a second application is sometimes needed if the surface is exceptionally oily.

When rinsed off after use it forms an emulsion which will break in two phases, releasing oil and solvents to the surface and leaving the lower layer of water virtually oil free.

## HEALTH & SAFETY

Hazard pictogram (CLP):



Hazard statements (CLP):

H226 – Flammable liquid and vapour.  
H304 – May be fatal if swallowed and enters airways.  
H336 – May cause drowsiness or dizziness.  
H412 – Harmful to aquatic life with long lasting effects.  
**EUH210 – Safety Data Sheet available on**

## PHYSICAL PROPERTIES

**Colour:** No data available.  
**Appearance:** Liquid.  
**Odour:** No data available.  
**Solubility:** No data available.  
**Boiling point:** No data available.  
**Flash point:** >40°C.  
**Flammability:** Not applicable.  
**Density:** No data available.  
**pH:** N/a.

**Wessex Chemical Factors Ltd**  
**17 Crane Way**  
**Woolsbridge Industrial Park**  
**Three Legged Cross**  
**Wimborne**  
**Dorset**  
**BH21 6FA**  
**United Kingdom**

**Tel: 01202 823699**  
**Fax: 01202 813863**  
**Email: [info@wessexchemicalfactors.co.uk](mailto:info@wessexchemicalfactors.co.uk)**  
**Website: [www.wessexboatstore.co.uk](http://www.wessexboatstore.co.uk)**



## HEALTH & SAFETY (Cont.)

**Precautionary statements (CLP):**

P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 – Keep container tightly closed.  
P240 – Ground and bond container and receiving equipment.  
P241 – Use explosion-proof electrical equipment.  
P261 – Avoid breathing vapour, mist, spray.  
P271 – Use only outdoors or in a well-ventilated area.  
P273 – Avoid release to the environment.  
P280 – Wear protective gloves, eye protection, protective clothing.  
P301+P310 – IF SWALLOWED – Immediately call a doctor, a POISON CENTRE.  
P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340 – IF INHALED – Move person to fresh air and keep comfortable for breathing.  
P312 – Call a doctor, a POISON CENTRE if you feel unwell.  
P331 – Do NOT induce vomiting.  
P370+P378 – In case of fire: Use water spray, foam, dry extinguisher powder, carbon dioxide (CO<sub>2</sub>) to extinguish.  
P403+P233 – Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 – Store in a well-ventilated place. Keep cool.  
P405 – Store locked up.  
P501 – Dispose of contents/containers to a hazardous or specialist waste collection point, in accordance with local, regional, national and/or international regulation.  
**Hazardous ingredients:**  
Solvent naphtha (petroleum), heavy arom; Kerosine – unspecified [A complex combination of hydrocarbons obtained by distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons with carbon numbers predominantly in the range of C<sub>9</sub> through C<sub>16</sub> and boiling in the ranges of approximately 165°C to 290°C (330°F to 554°F).]; hydrocarbons, C<sub>9</sub> -C<sub>11</sub>, n-alkanes, isoalkanes, cyclics, <2% aromatics.

