

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: Periodic review of SDS11/6/2023

Issue date: 3/22/2019 Revision date: 11/6/2020 Supersedes version of: 3/22/2019 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Trade name : Low Foam Deck Wash

Product code : WP 1601
Product group : Blend

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

No additional information available

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd

17 Crane Way, Woolsbridge Industrial Park,

Three Legged Cross, Wimborne, Dorset

BH21 6FA - United Kingdom

T +44 (0) 1202 823 699 - F +44 (0) 1202 813 863

www.wessexchemicalfactors.co.uk

E-mail address of competent person responsible for the SDS: info@wessexchemicalfactors.co.uk

# 1.4. Emergency telephone number

Emergency number : +44 (0) 1202 823 699 (Office hours only 9am - 5pm Monday - Thursday, 9am - 4pm Friday.)

+44 (0) 7973629367 (Out of hours emergency number)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290 Serious eye damage/eye irritation, Category 1 H318

Full text of H statements : see section 16

# Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes serious eye damage.

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

: Danger

Signal word (CLP)

Contains : C9-11 alcohol ethoxylate with 6.5 mol EO

Hazard statements (CLP) : H290 - May be corrosive to metals.

H318 - Causes serious eye damage.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

: P234 - Keep only in original packaging.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P390 - Absorb spillage to prevent material damage.

P406 - Store in a corrosion-resistant container with a resistant inner liner.

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt (Main constituent)	(EC-No.) 423-270-5 (REACH-no) 01-0000016977-53	10 – 15	Met. Corr. 1, H290
C9-11 alcohol ethoxylate with 6.5 mol EO	(CAS-No.) 68439-46-3	3 – 7	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	(CAS-No.) 61789-40-0 (EC-No.) 263-058-8	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides (UVCB)	(CAS-No.) 110615-47-9 (EC-No.) 600-975-8	0.5 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318
disodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8	0.5 – 1	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
disodium laureth sulfosuccinate	(CAS-No.) 39354-45-5	0.1 – 0.5	Eye Irrit. 2, H319
sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3 (REACH-no) 01-2119485491-33- XXXX	0.1 – 0.5	Not classified
benzotriazole	(CAS-No.) 95-14-7 (EC-No.) 202-394-1	0.1 – 0.5	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
propan-2-ol; isopropyl alcohol; isopropanol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25- XXXX	0.1 – 0.5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
polydimethylsiloxane	(CAS-No.) 63148-62-9	< 0.01	Not classified
sodium benzoate	(CAS-No.) 532-32-1 (EC-No.) 208-534-8	< 0.01	Eye Irrit. 2, H319

Full text of H-statements: see section 16

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam.

Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : While not normally combustible, if water content is lost (as in a fire), material may release

flammable vapours if exposed to high temperature.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Scoop absorbed substance into closing

containers.

Other information : Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

For further information refer to section 13.

11/6/2020 (Version: 1.1) EN (English) 3/14

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original

container. Store in a well-ventilated place. Keep cool.

Incompatible materials : oxidizing materials. Light metals (AI, Zn). Metals.

### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

ropan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol	
WEL TWA (mg/m³)	999 mg/m³	
WEL TWA (ppm)	400 ppm	
WEL STEL (mg/m³)	1250 mg/m³	
WEL STEL (ppm)	500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

# 8.2. Exposure controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protective equipment:

Safety glasses. Gloves.

# Hand protection:

Protective gloves

### Eye protection:

Safety glasses

Туре	Use	Characteristics	Standard
Safety glasses	Wear security glasses which protect from splashes	With side shields	EN 166

### Skin and body protection:

Wear suitable protective clothing

### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Personal protective equipment symbol(s):







### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : No data available
Odour threshold : No data available
pH : 12.9 – 13

Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 65 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure No data available Relative vapour density at 20 °C No data available Relative density : No data available Density : 1.075 g/cm<sup>3</sup> Solubility : soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

# 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

oxidizing materials. Light metals (Al, Zn). metals.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

benzotriazole (95-14-7)	
LD50 oral rat	500 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50, male, female, Inhalation, rat	> 10000 ppm (6 Hours, (OECD 403 method))

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2000 mg/kg

sodium chloride (7647-14-5)	
LD50 oral rat	3000 mg/kg

reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt	
LD50 oral rat	> 4000 mg/kg
LD50 dermal rat	> 4000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 5 mg/l/4h

disodium metasilicate (6834-92-0)	
LD50 dermal rat	> 5000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 2.06 mg/l/4h

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LD50 oral rat	< 2000 mg/kg

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides (110615-47-9)	
LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight

disodium laureth sulfosuccinate (39354-45-5)	
LD50 oral rat	> 2000 mg/kg

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium benzoate (532-32-1)	
LD50 oral rat	3450 mg/kg bodyweight
Skin corrosion/irritation	: Not classified. pH: 12.9 – 13
Serious eye damage/irritation	: Causes serious eye damage.

pH: 12.9 - 13 Respiratory or skin sensitisation : Not classified : Not classified

Germ cell mutagenicity Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

disodium metasilicate (6834-92-0)

227 - 237 mg/kg bodyweight/day NOAEL (oral, rat, 90 days)

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

benzotriazole (95-14-7)	
LC50 fish 1	180 mg/l Zebrafish (Danio rerio)
EC50 Daphnia 1	107 mg/l
ErC50 (algae)	75 mg/l
NOEC chronic crustacea	0.97 mg/l
NOEC chronic algae	1.18 mg/l

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 fish 1	9640 mg/l Fathead minnow (Pimephales promelas)
EC50 72h algae (1)	> 1000 mg/l (Desmodesmus subspicatus)
EC50, daphnia, short term	9714 mg/l (24 Hours, (OECD 202 method))
EC5, microorganisms, Pseudomonas putida	1050 mg/l (16 Hours)

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)	
LC50 fish 1	2 mg/l Zebrafish (Brachydanio rerio)
EC50 Daphnia 1	6.4 mg/l
EC50 72h algae (1)	30 mg/l
NOEC chronic fish	0.16 mg/l

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NOEC chronic crustacea	0.9 mg/l

sodium chloride (7647-14-5)	
LC50 fish 1	6750 mg/l
EC50 Daphnia 1	2024 mg/l

reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt	
LC50 fish 1	> 200 mg/l (Zebrafish)
EC50 Daphnia 1	> 200 mg/l
EC50 72h algae (1)	> 200 mg/l
NOEC chronic fish	≥ 200 mg/l (28 d, Rainbow trout)
NOEC chronic crustacea	≥ 200 mg/l (21 d)

disodium metasilicate (6834-92-0)	
LC50 fish 1	2320 mg/l Western mosquitofish (Gambusia affinis)
LC50 fish 2	210 mg/l Zebra fish (Danio rerio)
EC50 Daphnia 1	1700 mg/l
EC50 72h algae (1)	207 mg/l
ErC50 (algae)	> 345.4 mg/l

C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	
LC50 fish 1	1 – 10 mg/l

D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides (110615-47-9)	
LC50 fish 1	2.95 mg/l (Zebrafish)
EC50 Daphnia 1	7 mg/l

sodium benzoate (532-32-1)	
LC50 fish 1	484 mg/l Fathead minnow (Pimephales promelas)
EC50 Daphnia 1	> 100 mg/l

# 12.2. Persistence and degradability

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Readily biodegradable.

1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts (61789-40-0)		
	Persistence and degradability	Readily biodegradable.

sodium chloride (7647-14-5)	
Persistence and degradability	Not biodegradable.

reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt	
Persistence and degradability	Readily biodegradable.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

BOD (% of ThOD)	80 00 % ThOD
BOD (% of ThOD)	80 – 90 % ThOD

### disodium metasilicate (6834-92-0)

Persistence and degradability Not established.

# C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

Persistence and degradability Readily biodegradable.

### D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides (110615-47-9)

Persistence and degradability Readily biodegradable

### disodium laureth sulfosuccinate (39354-45-5)

Persistence and degradability Readily biodegradable.

### sodium benzoate (532-32-1)

Persistence and degradability Not established.

# 12.3. Bioaccumulative potential

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Partition coefficient n-octanol/water (Log Pow) 0.05

Bioaccumulative potential No bioaccumulation.

### sodium chloride (7647-14-5)

Bioaccumulative potential Not established.

# reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt

Partition coefficient n-octanol/water (Log Pow)

Bioaccumulative potential Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

# disodium metasilicate (6834-92-0)

Bioaccumulative potential No bioaccumulation.

### C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)

Bioaccumulative potential Bioaccumulation unlikely.

### sodium benzoate (532-32-1)

Partition coefficient n-octanol/water (Log Pow) -2.27

Bioaccumulative potential Not established.

# 12.4. Mobility in soil

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

Surface tension	22.7 mN/m
Ecology - soil	Very mobile. Soluble material/quickly disperses in water.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt	
Surface tension	71.5 mN/m @ 1g/L

# 12.5. Results of PBT and vPvB assessment

Component	
benzotriazole (95-14-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
C9-11 alcohol ethoxylate with 6.5 mol EO (68439-46-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
disodium metasilicate (6834-92-0)	This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)
D-glucopyranose, oligomeric, C10-16(even numbered) alkyl glycosides (110615-47-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
reaction mass of (2S)-alanine, N,N-bis(carboxymethyl)-, trisodium salt and (2R)-alanine, N,N-bis(carboxymethyl)-, trisodium salt ()	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
UN 1760	UN 1760	UN 1760	UN 1760	UN 1760
14.2. UN proper shippin	g name			
CORROSIVE LIQUID,	CORROSIVE LIQUID,	Corrosive liquid, n.o.s.	CORROSIVE LIQUID,	CORROSIVE LIQUID,
N.O.S. (Disodium	N.O.S. (Disodium	(Disodium trioxosilicate;	N.O.S. (Disodium	N.O.S. (Disodium
trioxosilicate; reaction	trioxosilicate; reaction	reaction mass of (2S)-	trioxosilicate; reaction	trioxosilicate ; reaction
mass of (2S)-alanine, N,N-	mass of (2S)-alanine, N,N-	alanine, N,N-	mass of (2S)-alanine, N,N-	mass of (2S)-alanine, N,N-
bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,
trisodium salt and (2R)-	trisodium salt and (2R)-	trisodium salt and (2R)-	trisodium salt and (2R)-	trisodium salt and (2R)-
alanine, N,N-	alanine, N,N-	alanine, N,N-	alanine, N,N-	alanine, N,N-
bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,	bis(carboxymethyl)-,
trisodium salt)	trisodium salt)	trisodium salt)	trisodium salt)	trisodium salt)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **Transport document description**

UN 1760 CORROSIVE LIQUID, N.O.S. (Disodium trioxosilicate; reaction mass of (2S)-alanine, N,Nbis(carboxymethyl)-, trisodium salt and (2R)alanine, N,Nbis(carboxymethyl)-, trisodium salt), 8, III, (E) UN 1760 CORROSIVE LIQUID, N.O.S. (Disodium trioxosilicate; reaction mass of (2S)-alanine, N,Nbis(carboxymethyl)-, trisodium salt and (2R)alanine, N,Nbis(carboxymethyl)-, trisodium salt), 8, III UN 1760 Corrosive liquid, n.o.s. (Disodium trioxosilicate; reaction mass of (2S)-alanine, N,Nbis(carboxymethyl)-, trisodium salt and (2R)alanine, N,Nbis(carboxymethyl)-, trisodium salt), 8, III UN 1760 CORROSIVE LIQUID, N.O.S. (Disodium trioxosilicate; reaction mass of (2S)-alanine, N,Nbis(carboxymethyl)-, trisodium salt and (2R)alanine, N,Nbis(carboxymethyl)-, trisodium salt), 8, III UN 1760 CORROSIVE LIQUID, N.O.S. (Disodium trioxosilicate; reaction mass of (2S)-alanine, N,Nbis(carboxymethyl)-, trisodium salt and (2R)alanine, N,Nbis(carboxymethyl)-, trisodium salt), 8, III

### 14.3. Transport hazard class(es)





8



8



8



8

# 14.4. Packing group

Dangerous for the environment: No

Dangerous for the environment : No Marine pollutant : No

Ш

Dangerous for the environment: No

Ш

Dangerous for the environment: No

Ш

Dangerous for the environment: No

Ш

No supplementary information available

# 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

80 1760

Tunnel restriction code (ADR) : E
EAC code : 2X
APP code : B

Transport by sea

Orange plates

Special provisions (IMDG) : 223, 274 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T7 Tank special provisions (IMDG) TP1, TP28 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C9
Special provisions (RID) : 274
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 16: Other information**

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
EC50	Median effective concentration		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
PBT	Persistent Bioaccumulative Toxic		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H225	Highly flammable liquid and vapour.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.