

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 SDS Reference Number: Periodic review of SDS 07/02/2028 Issue date: 07/02/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Cover Clean (WP 2500)

Product code : WP 2500

Type of product : Cleaning/washing agents and additives, Detergent

Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use, Consumer use

Use of the substance/mixture : Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wessex Chemical Factors Ltd 17 Crane Way Woolsbridge Industrial Park Three Legged Cross Wimborne

Dorset BH21 6FA

Telephone: +44 (0) 1202 823 699

E-mail: info@wessexchemicalfactors.co.uk www.wessexchemicalfactors.co.uk

1.4. Emergency telephone number

Emergency number

: In the event of a medical incident involving this product, please contact your doctor or local hospital accident and emergency department. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 free from any phone to speak to an NHS adviser. Customer Service (Technical) +44 (0) 1202 823 699

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P264 - Wash hands thoroughly after handling. P280 - Wear eye protection, protective gloves.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

Extra phrases : < 5% non-ionic surfactants.

< 5% amphoteric surfactants.

< 5% phosphates. disinfectants. perfumes. Not applicable

Child-resistant fastening : Not applicable Tactile warning : Not applicable

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glutamic acid, N,N-diacetic acid, tetrasodium salt	CAS-No.: 51981-21-6 EC-No.: 257-573-7 REACH-no: 01-2119493601- 38-XXXX	5 – 10	Not classified
alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3	≥ 2.5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts	CAS-No.: 90170-43-7 EC-No.: 290-476-8 REACH-no: 01-2119976233- 35-0001	0.5 – 1	Eye Irrit. 2, H319
disodium metasilicate	CAS-No.: 6834-92-0 EC-No.: 229-912-9 EC Index-No.: 014-010-00-8	0.5 – 1	Skin Corr. 1B, H314 STOT SE 3, H335
pentasodium triphosphate	CAS-No.: 7758-29-4 EC-No.: 231-838-7 REACH-no: 01-2119430450- 54-XXXX	0.5 – 1	Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	EC-No.: 939-350-2 REACH-no: 01-2119970550- 39-0000	0.1 – 0.3	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
Benzotriazole	CAS-No.: 95-14-7 EC-No.: 202-394-1	0.01 – 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 2, H411
TURPENTINE substance with national workplace exposure limit(s) (GB)	CAS-No.: 8006-64-2, 9005- 90-7, 8052-14-0 EC-No.: 232-350-7, 232-688- 5	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 1, H410
DIETHYL PHTHALATE substance with national workplace exposure limit(s) (GB)	CAS-No.: 84-66-2 EC-No.: 201-550-6	< 0.01	Not classified
CAMPHOR substance with national workplace exposure limit(s) (GB)	CAS-No.: 76-22-2 EC-No.: 200-945-0	< 0.01	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
yellow dye	-	< 0.01	Not classified

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Wash Both hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

07/02/2025 (Issue date) GB - en 4/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

DIETHYL PHTHALATE (84-66-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Diethyl phthalate	
WEL TWA (OEL TWA)	5 mg/m³	
WEL STEL (OEL STEL)	10 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
CAMPHOR (76-22-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Bornan-2-one	
WEL TWA (OEL TWA)	13 mg/m³	
	2 ppm	
WEL STEL (OEL STEL)	19 mg/m³	
	3 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
TURPENTINE (8006-64-2, 9005-90-7, 8052-14-0)		
United Kingdom - Occupational Exposure Limits		
Local name	Turpentine	
WEL TWA (OEL TWA)	566 mg/m³	
	100 ppm	
WEL STEL (OEL STEL)	850 mg/m³	
	150 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Yellow liquid.
Colour : straw yellow.

Odour : Odour relevant to fragrance.

Odour threshold No data available рΗ No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available : No data available Freezing point : No data available Boiling point : No data available Flash point Auto-ignition temperature · No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20°C : No data available Relative density : No data available Density : 1.1 g/cm³

Solubility : completely soluble.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

Explosive limits : No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified	
disodium metasilicate (6834-92-0)		
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
alcohols, C9-11, ethoxylated (68439-46-3)		
LD50 oral	300 – 2000 mg/kg	
LD50 dermal	> 2000 mg/kg	
LC50 Inhalation - Rat	> 1600 mg/m³	
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides		
LD50 oral rat	397.5 mg/kg	
LD50 dermal rabbit	3412 mg/kg	
Benzotriazole (95-14-7)		
LD50 oral rat	500 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)		
LD50 oral rat	> 2000 mg/kg bodyweight	
glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REA	CH) with its amendment Regulation (EU) 2015/830
glutamic acid, N,N-diacetic acid, tetr	rasodium salt (51981-21-6)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:
LC50 Inhalation - Rat	> 4.2 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:
pentasodium triphosphate (7758-29-	-4)
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 4640 mg/kg bodyweight Animal: rabbit
LC50 Inhalation - Rat	> 0.39 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity)
DIETHYL PHTHALATE (84-66-2)	
LD50 oral rat	8600 mg/kg
LD50 dermal	22.4 g/kg Guinea Pig
Skin corrosion/irritation Additional information	: Not classified: Based on available data, the classification criteria are not met
Benzotriazole (95-14-7)	
pH	5 (25 g/l) at 20 C
glutamic acid, N,N-diacetic acid, tetr	rasodium salt (51981-21-6)
рН	11 – 12
Serious eye damage/irritation	: Causes serious eye irritation.
Benzotriazole (95-14-7)	
рН	5 (25 g/l) at 20 C
glutamic acid, N,N-diacetic acid, tetr	rasodium salt (51981-21-6)
рН	11 – 12
Respiratory or skin sensitisation Additional information	Not classified Based on available data, the classification criteria are not met
Germ cell mutagenicity Additional information	: Not classified: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information Reproductive toxicity	: Based on available data, the classification criteria are not met : Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure Additional information	Not classifiedBased on available data, the classification criteria are not met
disodium metasilicate (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.
CAMPHOR (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure Additional information	Not classified Based on available data, the classification criteria are not met
disodium metasilicate (6834-92-0)	
NOAEL (oral, rat, 90 days)	227 – 237 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

07/02/2025 (Issue date) GB - en 8/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides		
NOAEL (dermal, rat/rabbit, 90 days)	20 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl d	erivs., disodium salts (90170-43-7)	
LOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
NOAEL (oral, rat, 90 days)	43 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
glutamic acid, N,N-diacetic acid, tetrasodium	salt (51981-21-6)	
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents), Guideline: other:	
Aspiration hazard :	Not classified	
Additional information :	Based on available data, the classification criteria are not met	
disodium metasilicate (6834-92-0)		
Viscosity, kinematic	Not applicable	
alcohols, C9-11, ethoxylated (68439-46-3)		
Viscosity, kinematic	23 mm²/s	
pentasodium triphosphate (7758-29-4)		
Viscosity, kinematic	Not applicable	
Potential adverse human health effects and : symptoms	Based on available data, the classification criteria are not met	

SECTION 12: Ecological information

12.1. Toxicity

EC50 - Crustacea [1]

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

: Not classified: Not classified

(chronic)

disodium metasilicate (6834-92-0) LC50 - Fish [1] 210 mg/l Test organisms (species): Zebra fish (Danio rerio) EC50 - Crustacea [1] 1700 mg/l Test organisms (species): Daphnia magna EC50 72h - Algae [1] 207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) ErC50 algae > 345.4 mg/l alcohols, C9-11, ethoxylated (68439-46-3) 1 - 10 mg/l LC50 - Fish [1] EC50 - Crustacea [1] 1 - 10 mg/lquaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides LC50 - Fish [1] 0.85 mg/l Test organisms (species): Onchorhynchus mykiss LC50 - Fish [2] 1.28 mg/l Test organisms (species): Cyprinodon variegatus

0.016 mg/l Test organisms (species): Daphnia magna

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

quaternary ammonium compounds, benzyl-C	12-14 (even numbered)-alkyldimethyl, chlorides
EC50 72h - Algae [1]	0.207 mg/l Test organisms (species): Skeletonema costatum
LOEC (chronic)	0.05 mg/l
NOEC chronic fish	0.032 mg/l Test organisms (species): Pimephales promelas
NOEC chronic crustacea	0.00415 mg/l Test organisms (species): Daphnia magna
NOEC chronic algae	0.009 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50, microorganisms	7.75 mg/l (3 Hours)
NOEC, microorganisms	1.6 mg/l (3 Hours)
Benzotriazole (95-14-7)	
LC50 - Fish [1]	55 mg/l Test organisms (species): Cyprinodon variegatus
LC50 - Fish [2]	180 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	137 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	75 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	29 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	1.07 mg/l
NOEC chronic crustacea	0.97 mg/l
NOEC chronic algae	3.94 mg/l
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl d	erivs., disodium salts (90170-43-7)
LC50 - Fish [1]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	≈ 29 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 5.5 mg/l Test organisms (species): Chlorella vulgaris
EC50 72h - Algae [2]	≈ 9.4 mg/l Test organisms (species): Chlorella vulgaris
NOEC (chronic)	≈ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
glutamic acid, N,N-diacetic acid, tetrasodium	salt (51981-21-6)
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	> 95.26 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 95.26 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	> 265.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	224 mg/l Test organisms (species): other aquatic crustacea: Duration: '21 d'
pentasodium triphosphate (7758-29-4)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
DIETHYL PHTHALATE (84-66-2)	
LC50 - Fish [1]	12 mg/l Rainbow trout
LC50 - Fish [2]	29 mg/l Sheephead minnow

TURPENTINE (8006-64-2, 9005-90-7, 8052-14-0)

Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DIETHYL PHTHALATE (84-66-2)		
EC50 - Crustacea [1]	90 mg/l	
EC50 72h - Algae [1]	45 mg/l	
NOEC chronic fish	1.9 mg/l	
NOEC chronic crustacea	43 mg/l	
NOEC chronic algae	9 mg/l	
CAMPHOR (76-22-2)		
LC50 - Fish [1]	33.25 mg/l	
EC50 - Crustacea [1]	4.23 mg/l	
EC50 72h - Algae [1]	1.71 mg/l	
NOEC chronic algae	0.032 mg/l	
12.2. Persistence and degradability		
Cover Clean (WP 2500)		
Persistence and degradability	Not established.	
disodium metasilicate (6834-92-0)		
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.	
alcohols, C9-11, ethoxylated (68439-46-3)		
Persistence and degradability	Readily biodegradable.	
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides		
Persistence and degradability	Readily biodegradable.	
Biodegradation	63 % (in 28 days)	
Benzotriazole (95-14-7)		
Persistence and degradability	Rapidly degradable	
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)		
Persistence and degradability	Rapidly degradable	
glutamic acid, N,N-diacetic acid, tetrasodium	salt (51981-21-6)	
Persistence and degradability	Rapidly degradable	
pentasodium triphosphate (7758-29-4)		
Persistence and degradability	Not established.	
yellow dye		
Persistence and degradability	Rapidly degradable	
DIETHYL PHTHALATE (84-66-2)		
Persistence and degradability	Rapidly degradable	
CAMPHOR (76-22-2)		
Persistence and degradability	Rapidly degradable	
	I .	

Rapidly degradable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

Cover Clean (WP 2500)		
Bioaccumulative potential	Not established.	
disodium metasilicate (6834-92-0)		
Bioaccumulative potential	No bioaccumulation.	
alcohols, C9-11, ethoxylated (68439-46-3)		
Bioaccumulative potential	Bioaccumulation unlikely.	
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides		
Partition coefficient n-octanol/water (Log Kow)	2.75	
Bioaccumulative potential	Low.	
pentasodium triphosphate (7758-29-4)		
Bioaccumulative potential	Not established.	

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
disodium metasilicate (6834-92-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII This substance is not considered to be persistent, bioaccumulating nor toxic (PBT). This substance is not considered to be very persistent nor very bioaccumulating (vPvB)
alcohols, C9-11, ethoxylated (68439-46-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Benzotriazole (95-14-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
β-Alanine, N-(2-carboxyethyl)-, N-coco alkyl derivs., disodium salts (90170-43-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
glutamic acid, N,N-diacetic acid, tetrasodium salt (51981-21-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
pentasodium triphosphate (7758-29-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
yellow dye	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
DIETHYL PHTHALATE (84-66-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
CAMPHOR (76-22-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
TURPENTINE (8006-64-2, 9005-90-7, 8052-14-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.6. Other adverse effects

disodium metasilicate (6834-92-0)		
Other information	Avoid release to the environment.	
alcohols, C9-11, ethoxylated (68439-46-3)		
Other information	Avoid release to the environment.	
pentasodium triphosphate (7758-29-4)		
Other information	Avoid release to the environment.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
Not regulated for transport					
14.2. UN proper shipping name					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	TURPENTINE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(c)	TURPENTINE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
3(b)	Cover Clean (WP 2500); alcohols, C9-11, ethoxylated; TURPENTINE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Detergent Regulation (648/2004)

Contains no ingredient(s) required to be listed according to the Detergent Regulation (648/2004).

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Acute Tox. 4 (Demail) Acute Tox. 4 (Drail) Acute Tox. 4 (Oral) Acute Tox. 4 (Oral) <th colspan="5">Full text of H- and EUH-statements:</th>	Full text of H- and EUH-statements:				
(Inhalation.dust,mist) Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable iliquids, Category 2 Flam. Liq. 2 Flammable iliquids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Skin corn. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Specific target organ toxicity – Single exposure, Category 2 Story SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable solid. H302 Harmful if exallowed. H303 Harmful if exallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction.	Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4			
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Filem. Liq. 2 Flammable liquids, Category 2 Filem. Liq. 2 Flammable liquids, Category 2 Filem. Sol. 2 Flammable solids, Category 2 Filem. Sol. 2 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Sans. 1 Skin corrosion/irritation, Category 2 Sixin Sans. 1 Skin sansitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes severe skin burns and eye damage. H316 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause respiratory irritation. H337 May cause damage to organs. H400 Very toxic to aquatic life. H400 Very toxic to aquatic life.		Acute toxicity (inhalation:dust,mist) Category 4			
Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable ilquids, Category 2 Flam. Liq. 2 Flammable ilquids, Category 2 Flam. Liq. 2 Flammable ilquids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 1 Stort SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H226 Harmful if swallowed. H330 Harmful if swallowed and enters airways. H311 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H338 Causes serious eye damage. H339 Harmful if inhaled. H330 Harmful if inhaled. H331 May cause respiratory irritation. H332 Harmful irritation. H334 May cause respiratory irritation. H335 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects.	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes sevicus eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H331 Harmful if inhaled. H332 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects.	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Asp. Tox. 1 Aspiration hazard, Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H226 Flammable solid. H300 Harmful if swallowed H301 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H334 May cause are spiratory irritation. H335 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H314 May be fatal if swallowed and enters airways. H315 Causes severe skin burns and eye damage. H316 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H334 May cause damage to organs. H400 Very toxic to aquatic life.	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Fiam. Liq. 2 Flammable liquids, Category 2 Fiam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H314 May be fatal if swallowed and enters airways. H315 Causes severe skin burns and eye damage. H316 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Asp. Tox. 1	Aspiration hazard, Category 1			
Fiam. Liq. 2 Flammable liquids, Category 2 Fiam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H301 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H316 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Fiam. Sol. 2 Flammable solids, Category 2 Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation Highly flammable liquid and vapour. Highly flammable solid. Harmful if swallowed. Harmful if swallowed and enters airways. Harmful in contact with skin. Harmful in contact with skin. Causes severe skin burns and eye damage. Harmful in cause an allergic skin reaction. Harmful in Causes serious eye damage. Harmful if inhaled. Harmful if inhaled in expiration in the scale organs. Harmful if inhaled in equatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
Skin Corr. 1B Skin corrosion/irritation, Category 1, Sub-Category 1B Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 2 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H301 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H331 May cause respiratory irritation. H332 Harmful inhaled. H333 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects.	Flam. Liq. 2	Flammable liquids, Category 2			
Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H304 May be fatal if swallowed and enters ainways. H315 Causes severe skin burns and eye damage. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H331 May cause damage to organs. H371 May cause damage to organs. H400 Very toxic to aquatic life.	Flam. Sol. 2	Flammable solids, Category 2			
Skin sens. 1 Skin sensitisation, Category 1 STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H301 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H331 May cause respiratory irritation. H332 Harmful if inhaled. H335 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B			
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2 STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H316 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H331 May cause experiatory irritation. H332 Harmful if inhaled. H335 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Skin Irrit. 2	Skin corrosion/irritation, Category 2			
STOT SE 3 Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation H225 Highly flammable liquid and vapour. H228 Flammable solid. H300 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Skin Sens. 1	Skin sensitisation, Category 1			
H225 Highly flammable liquid and vapour. H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H331 May cause respiratory irritation. H332 Harmful if inhaled. H335 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	STOT SE 2	Specific target organ toxicity – Single exposure, Category 2			
H228 Flammable solid. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation			
H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H225	Highly flammable liquid and vapour.			
H304 May be fatal if swallowed and enters airways. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H228	Flammable solid.			
H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.			
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.			
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H312	Harmful in contact with skin.			
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.			
H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.			
H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.			
H332 Harmful if inhaled. H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.			
H335 May cause respiratory irritation. H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.			
H371 May cause damage to organs. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H332	Harmful if inhaled.			
H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	H335	May cause respiratory irritation.			
H410 Very toxic to aquatic life with long lasting effects.	H371	May cause damage to organs.			
	H400	Very toxic to aquatic life.			
H411 Toxic to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.			
	H411	Toxic to aquatic life with long lasting effects.			

Safety Data Sheet applicable for regions : GB - United Kingdom

07/02/2025 (Issue date) GB - en 15/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.